

Test Female Nutrigenetic analysis



Dear Mrs Female,

We congratulate you on an important step that you have made towards self-discovery. The better you know yourself, the easier you influence your body weight, youthful look, your fitness and health. As the genes are the ones that determine the response of your metabolism and muscles, your personal DNA analysis will allow you to optimise eating habits and exercise routine in order to reach your goal much more easily. We believe that with carefully prepared, personalised recommendations, our experts will justify the trust that you have invested in us.

We are happy to be able to follow you on this exciting journey where you will, with the help of your personal DNA analysis, finally discover how your body functions. The secret to success that your personal DNA analysis will lead you to is hidden in the personalised diet and lifestyle plan, in which all the needs that your genes determine are taken into consideration.

The analysis of your genes is performed according to the highest quality standards. In the first stage, on the basis of relevant scientific literature, we submit the genes to rigorous selection where, among many, we chose only those for which the influence has been proven, and for which there is enough reliable evidence and quality scientific research. We perform the analysis in a laboratory, which operates according to the ISO 9001 quality standard, where we analyse your DNA using an extremely reliable and most advanced technology. In addition, nutritional experts create expert nutritional and lifestyle recommendations especially for your genetic makeup.

It is precisely our high quality standards that guarantee reliable results of DNA analysis. Or, as the head of the Chair of Pharmaceutical Biology, prof. Borut Štrukelj, M. Pharm., Ph.D., says:



"The personal DNA analysis reveals surprising information which has not been known to us so far. It enables the individual to start eating according to his/her genetic makeup. He/she therefore ingests only what his/her body needs, and, inversely, avoids the nutrients which are, according to his/her genetic makeup, harmful."

prof. Borut Štrukelj, M. Pharm., Ph.D., The Faculty of Pharmacy, University of Ljubljana

We are convinced that your personal DNA analysis will lead you to appropriate eating habits, a healthier lifestyle, a better well-being and, consequently, a better personal appearance. We would like you to know that your personal DNA analysis does not contain any pathological diagnoses, and we recommend that you consult your personal doctor, in case of any bigger changes to your eating habits.

You yourself are the key to final success of your DNA analysis, and we, therefore, advise you to follow the recommendations, and practise them responsibly. You are about to discover surprising information about yourself that will help you make the best of the potential that Mother Nature has given you.

Your GenePlanet Team

~		

RESULTS SUMMARY	6	
INSTRUCTIONS FOR READING YOUR PERSONAL DNA ANALYSIS	10	
ABC OF GENETICS	12	
ABC OF DIET	13	
THE WAY TO YOUR IDEAL BODY WEIGHT	16	
Risk for being overweight	18	
Response to saturated fats	19	
Response to monounsaturated fats	20	
Response to polyunsaturated fats	21	
Response to carbohydrates	22	
DIET TYPE	24	
HOW MUCH DO GENES INFLUENCE YOUR METABOLISM AND HEALTH	26	
HDL (good) cholesterol	28	
LDL (bad) cholesterol	29	
Triglycerides	30	
Blood sugar	31	
WHICH VITAMINS AND MINERALS DOES YOUR BODY NEED	32	
Vitamin B6	34	
Vitamin B9	35	
Vitamin B12	36	
Vitamin D	37	
Iron	38	
Sodium (salt)	39	
Potassium	40	
Bone density	41	

IMPORTANT INFLUENCES ON YOUR EATING HABITS	42
Consumption of sweet treats	44
Insatiability and hunger	45
Sweet taste perception	46
Bitter taste perception	47
THE EFFECTIVENESS OF YOUR METABOLISM	48
Alcohol metabolism	50
Caffeine metabolism	51
Lactose metabolism	52
YOUR GENES, DETOXIFICATION AND ANTIOXIDANTS	54
Selenium	56
Vitamin E	57
Oxidative stress	58
SPORTS AND RECREATION IN TUNE WITH YOUR GENES	60
Muscle structure	62
Endurance training	63
Achilles tendon	64
GENETICALLY DETERMINED ADDICTIONS AND AGEING	66
Nicotine addiction	68
Alcohol addiction	69
Biological ageing	70
ADDITIONAL INFORMATION ABOUT THE ANALYSES	72
GLOSSARY	78
NUTRITIONAL CHARTS	80

RESULTS SUMMARY

RESULTS S

THE INFLUENCE OF	DIET ON BODY WEIGHT	
Analysis	Your result	Summary
Risk for being overweight	HIGHER RISK	Your risk is 20% higher than average. That is why we recommend you to take daily walks and limit your daily caloric intake.
Response to saturated fats	UNFAVOURABLE	Your daily intake of saturated fats should not exceed 5% of caloric intake. We recommend that you replace animal fats with vegetables.
Response to monounsaturated fats	FAVOURABLE	We recommend you to consume 16% of monounsaturated fats daily. They have an important part in your diet, as your reaction to them is favourable.
Response to polyunsaturated fats	NORMAL	Polyunsaturated fats should represent 7% of your daily caloric intake. You will find sufficient amounts of them in hazelnuts, almonds, mackerels, etc.
Response to carbohydrates	UNFAVOURABLE	Due to your unfavourable response to carbrohydrates, we recommend you to lower their daily intake. Restrict it to 50% of daily caloric intake.
DIET TYPE	LOW INTAKE OF SATURATED FATS	We recommend to you a diet low in saturated fat intake, with emphasis on monounsaturated fats and controlled intake of carbohydrates.

FACTORS INFLUE	NCING METABOLISM	
Analysis	Your result	Summary
HDL (good) cholesterol	AVERAGE LEVEL	Your genes determine an average HDL cholesterol level, meaning that your condition can be improved. Try to be physically active every day.
LDL (bad) cholesterol	AVERAGE LEVEL	Your genes determine an average level of LDL cholesterol. Great measure is to limit intake of trans fats (margarine, mayonnaise, fried foods, etc.).
Triglycerides	AVERAGE LEVEL	Your genes determine an average level of triglycerides. Improve the condition further by considering recommendations regarding saturated fats
Blood sugar	LOW LEVEL	Your genes determine 3% lower than average blood sugar. However it is important to limit the intake of simple sugars (cakes, etc.).

THE REQUIREMEN	T OF NUTRIENTS	
Analysis	Your result	
Vitamin B6	e AVERAGE LEV	EL We red can be
Vitamin B9	lower levei	For yo (apple
Vitamin B12	AVERAGE LEV	' EL You sh that, e
Vitamin D	e AVERAGE LEV	EL For co (sardin
Iron	lower levei	We red rice br
Sodium (salt)	AVERAGE SENSITIVITY	Eat foo To imp
Potassium	e Average Lev	EL We ad eat nu
Bone density	AVERAGE DENSITY	You ca contai
EATING	HABITS	
Analysis	Your result	
Consumption of sweet treats	LOWER TENDENCY	lf you, instea
Insatiability and hunger	HIGHER TENDENCY FO	DR Insatio

• **MORE INTENSIVE** Despite the intensive perception of sweet taste, you should decrease the intake. You can lose your sharp perception with excess sweetening.

Bitter taste perception

Sweet taste perception

LESS INTENSIVE

INSATIABILITY

For you, sprouts, radishes and olives, will probably seem better tasting than for those who perceived bitter taste more intensely.

Summary

commend you to consume 1600 mcg of vitamin B6. Sufficient amounts e found from white meat, mackerels, bananas, broccoli and peanuts.

bu the daily vitamin B9 intake is 500 mcg. We recommend to you fruits es, dried apricots) and vegetables (leak, broad beans, broccoli).

hould increase your daily vitamin B12 intake to 4 mcg. To accomplish eat recommended amounts of fish, meat and dairy products.

onsuming 7 mcg of vitamin D daily, we advise you to consume fish ines, mackerel) and dairy products.

commend to you seeds (pumpkin, sesame), pistachios, cashews and ran, that will take care of the daily intake of 22 mg of iron.

od, that is poor in sodium – consume less than 1200 mg of sodium daily. prove the taste of food, use lemon, garlic or mint.

lvise you to increase your daily potassium intake to 2500 mg. Especially Its (brazil, cashew) and vegetable (dandelion, kale, beans).

an improve your state with regular physical activity and with foods that in more vitamins (broccoli, cabbage, black currants).

Summary

, despite of favourable genes, will get an urge to have something sweet, Id of unhealthy snacks, pick rice waffles coated with yogurt.

Insatiability can be effectively decreased with the pre-meal glass of water. Water is reducing the space available for food. **RESULTS SUMMARY**

RESULTS S

METABO	LIC PROPERTIES	
Analysis	Your result	Summary
Alcohol metabolism	EFFECTIVE METABOLISM	Your alcohol metabolism is effective, but we recommend that you would consume it in moderation (up to 1 dl wine or 2 dl beer per day).
Caffeine metabolism	RAPID METABOLISM	You metabolize caffeine, and it has less impact on you. Despite that, we do not advise you to drink more than 2 cups of coffee per day.
Lactose metabolism	EFFECTIVE METABOLISM	You have an effective lactose metabolism. Consumption of milk and milk products is recommended to you in terms of metabolism of lactose.

DETOXIFICATION	OF YOUR BODY	
Analysis	Your result	Summary
Selenium	HIGHER LEVEL	You daily selenium intake should be 30 mcg. Maintain a healthy weight, because with increasing BMI, daily needs for selenium may increase.
Vitamin E	AVERAGE LEVEL	Your daily vitamin E intake should be 14 mg. Lot of vitamin E can be found in wheat germ and its oils, almonds, hazelnuts, potatoes and spade.
Oxidative stress	HIGHER EXPOSURE	Avoid smoking, as cigarette smoke causes the formation of free radicals, which expose you further to oxidative stress.

SPORTS AND RECREATION		
Analysis	Your result	Summary
Muscle structure	AVERAGE STREGTH AND EXPLOSIVENESS	Your muscles are powerful, explosive, as well as durable. We recommend volleyball, basketball, nordic walking, pilates, or cross country skiing
Endurance training	ADITIONAL BENEFIT	With running and cycling, you will lose body fat 2 times more efficiently, so do not hesitate to choose to exercise regularly.
Achilles tendon	HIGHER TENDENCY FOR INJURY	You are more prone to damage the Achilles tendon, so you should warm up thoroughly before exercise and stop the training gradually.

GENETICALLY DETER	MINED ADDICTIONS AN	ND AG
Analysis	Your result	
Nicotine addiction	AVERAGE RISK FOR ADDICTION	lf you (chew
Alcohol addiction	• LOWER RISK FOR ADDICTION	Drinkii much d
Biological ageing	SLOWER AGEING	You ag (smok

GEING

Summary

are a smoker, always have something in your hand to distract you wing gum). If you don't smoke, we don't recommend experimenting.

ring a glass of wine with your dinner is recommended, but drinking too n alcohol, despite your good genes, is not healthy.

ige slower compared to others. Be careful with unhealthy bad habits king, alcohol, overeating) so you wouldn't worsen your state. For a better understanding of your personal DNA analysis, we would like you to read the following instructions.

Index and an overview of analyses with your advice

A user-friendly index enables you an easy and fast review of all the analyses. In addition, the index itself already contains the results of the analyses, which show the features (nutrients, lifestyle factors) that you have to pay attention to, based on your genes.

The Index is followed by "An overview of analyses with your advice", which features the most important findings and key recommendations for each section separately. A comprehensive summary of recommendations enables you to quickly and easily focus only on the factors that are the most important for you.

Sections and analyses

Your personal DNA analysis contains 8 sections which thematically capture the key elements of your diet and lifestyle. Every section starts with a summary of results, which is followed by an introduction to the subject of analyses for enabling us an easy interpretation of results.

An individual analysis contains an explanation of scientific research and the analysed genes with the mutations within these genes. Every analysis contains a genetic result and appropriate nutritional and lifestyle recommendations. More detailed explanations of larger analyses can be found at the end of your personal DNA analysis, in the chapter "More about analyses".

Results of your personal DNA analysis

For a better understanding, your results are presented in a colour scheme, where each colour has a specific meaning:

- Dark green: Your result is the most optimal; the state simply needs to be maintained.
- Light green: Your result is not completely optimal; the state can be improved
- 🥚 Yellow: Your result is average. If you follow the recommendations, you can do plenty to improve your state.
- Orange: Your result is not favourable. For an optimal state we recommend action.
- Red: Your result is the least favourable; pay close attention to these analyses.

In certain analyses, the result is also presented graphically. The graph shows the value of your genetic result, compared to the average value of the population.

For an easier understanding of the analyses, take a look at the graph on the right for the example of the "LDL (bad) cholesterol" analysis (note: this graph is only an example and does not portray your actual genetics in the mentioned analysis). The graph shows an example of a genetic makeup which determines a 20 percent higher LDL cholesterol level in comparison to the average LDL cholesterol level in the population.





Average (3,50 mmol/l)

Heritability

In all of the analyses where this information is known, "heritability" is shown. It is a measure that we use to determine how much our genes influence the formation of a certain characteristic. The bigger the heritability is, the greater influence our genes have, and the lower influence the environment has. The heritability for the risk of becoming overweight is estimated to approximately 75 percent, which means that the influence of genes overpowers the influence of the environment, and this is why information on our genetic makeup is so important here.

The analysed genes

A list of analysed genes is added to each analysis, and each gene has a determined genotype. A genotype or the combination of genotypes within an analysis determines your result. More information on the analysed genes is at the end of your personal DNA analysis, where it is presented in a chart with short descriptions of genes.

Recommendations of your personal DNA analysis



Based on your genetic makeup, we have prepared recommendations, which reveal your daily needs in terms of nutrients and guide you into a lifestyle suitable for you. We advise you to act on them, as they consider the needs of your body which are determined by your genes, and which, therefore, have a large influence on your current state and well-being.

Nutrition charts

The last pages of your DNA analysis consist of nutrition charts, which will help you to follow our recommendations. Information on the caloric value and the amount of vitamins, minerals and macronutrients is presented for every food item. This enables you to optimally plan your meals, because you can comprehensively follow all the nutrients that are present in a specific food item.

Legal liability

Your personal DNA analysis is predominantly of educational nature. Its purpose is not to give medical advice for determining diagnoses, treatment, alleviation or prevention of illnesses. Therefore, if you have any serious medical problems, we do not recommend any nutritional changes prior to consulting your personal doctor. Under no condition should you change your medications or any other medical care without the permission of your doctor. For any questions, concerning your personal DNA analysis, or if you would like to speak to one of our consultants, call us on 00386 59 25 11 11.



Genes and genetic mutations

Genes are areas of the **DNA** chain which carry instructions for the synthesis of proteins. Every gene carries a specific combination of nucleotides marked with letters A, T, C and G, where an individual combination determines a specific protein. Sometimes a mutation (or an error) occurs in the process of DNA replication, and the nucleotide sequence is not adequate (genetic mutation). This results into incorrect functioning of the protein.

When doing a personal DNA analysis we **analyse more than 100 sites (loci) of your DNA** where such mutations can occur. The type of mutation at this locus of DNA is called the genotype. If there is a possibility of substitution at a specific locus of DNA from C to T we have 3 possible genotypes: CC, CT or TT. This happens, because we inherit the DNA from our mother, as well as our father, and we therefore have every gene present in two copies. It is, therefore, possible for a mutation to occur only in one copy of the gene, in both copies, or not to occur at all.

It is clear that various genotypes are one of the most important factors which make people different: we have different eye colour, different skin, talents, we are differently susceptible to illnesses, and we have completely unique eating habits. Just how great influence genes have on various characteristics of an individual is presented in the following graph:



Nutrigenetics - the needs of our body are unique

Nutrigenetics represents a field which focuses on consequences of those genetic mutations that can be regulated with a diet. It is based on vast scientific studies which connect specific genetic mutations of individuals with different eating habits. The objective of nutrigenetics is to recognise **specific characteristics of an individual** based on which the diet can be optimised. Nutrigenetics, of course, is not part of the alternative medicine, and it is not a form of treatment. It is not an approach which would include modifying of the DNA, and it does not determine an optimal diet based on blood type or any other phenotypical characteristics of a person.

Personalised nutrition – the basis for the optimal diet

Although 99 percent of our genetic makeup is completely identical, there are approximately ten million genetic variations among individuals. In accordance to this, the nutritional needs of every individual are very specific. Unique needs of every individual are subject of a new branch of nutrigenetics – personalised nutrition. A personalised nutritional approach is essential and absolutely necessary for an optimal diet, in the same way as your personal doctor, who knows you, is necessary for ensuring your health. Diet is also one of the factors that we can use to influence our body and at the same time a factor that can most easily be influenced.

An optimal diet - the key to health and happiness

An optimal diet is an adjusted way of eating which can help us reach an **optimal functioning of our body**, as well as a long and healthy life. When our diet is optimal, we are emotionally more stable, physically active and we have significantly less health problems.

By following our recommendations and with a consistent use of "Nutrition charts", you now have a unique opportunity to step on a path of an optimal diet. You will see that food items in the charts are organised according to their importance. They, therefore, represent a great resource that enables you to choose a food combination which ensures your body a sufficient amount of nutrients. We recommend that you try to place different food items from different food groups on your menu.

Learn about the main ingredients of diet and the significance of analysed vitamins and minerals

Carbohydrates are the first group of macronutrients which represent the most important role in our diet, regardless the type of diet. According to their chemical structure, we divide them into simple and complex ones. Simple carbohydrates are naturally present in fruits, and their main property is that they are digested very quickly. Complex or compound carbohydrates are longer chains compounded of simple carbohydrates which have to be broken down during digestion. Only then can our body use them. Because of this quality, they represent a long-term source of energy for the body. The highest amount of complex carbohydrates is present in vegetables, legumes, and cereal products (flakes, bran). These food sources, including fruits, contain extremely beneficial substances for our body, called fibres. As a source of energy, they are useless to our body, as it cannot digest them, but they are important for regulating digestion and blood sugar levels, as well as cholesterol levels. Although fruits contain mainly simple carbohydrates, their content is low. Additionally, fibres ensure that fruits would have little impact on blood sugar levels. This is why fruits are much healthier than sweets.

A system called **glycemic index** has been established for evaluating a food item on the basis of its influence on the increase of blood sugar level. This system arranges foods into classes with values from o to 100, according to how quickly they increase blood sugar level in comparison to pure glucose. For example, white bread is a food item with a high glycemic index, and it causes a rapid increase of blood sugar. Unrefined cereals have a low glycemic index, the body digests them slower, and they cause a steady increase of blood sugar. But there is a downside to classification of foods according to the glycemic index, because it does not consider the actual amounts of carbohydrates in food. Because of this, a new system has been established, called **the glycemic load**, which enables us to classify food items more realistically, according to the criterion of blood sugar increase. This is why, for example, carrots have a high glycemic index, but a very low glycemic load. The reason for this is that carrots contain simple sugars, which strongly influence the increase of blood sugar. But, if we consider that the percentage of sugars in carrots is very low, we notice that carrots are actually very beneficial to our body and are highly recommended for diabetics.



Fats represent the next group of nutrients, which are known for their high energy content. They are predominantly important for digesting fat-soluble vitamins A, D, E and K, the synthesis of certain hormones, and are the component of cellular membranes. They are essentially divided into **saturated** and **unsaturated fats**. The latter are found in fish, nuts, seeds, and oils extracted from them. They are recognised by the fact that at room temperature, as opposed to saturated fats, they are in liquid state. Unsaturated fats are further divided into **poly**- and **monounsaturated**. Both groups are extremely important for our body. However, polyunsaturated fats are the only ones that our body cannot produce, and it is therefore essential for us to get them from food. This is why they are called **essential fats**. Among these are omega-3 and omega-6 fatty acids.



ABC OF DIET

Learn about the main diet ingredients and the significance of analysed vitamins and minerals

Omega-9 fatty acids are classified under monounsaturated fats, and they are naturally found mostly in olive oil. Despite the fact that monounsaturated fats are extremely beneficial for us (they reduce LDL and increase HDL cholesterol), they have one disadvantage. They are less resistant to high temperatures, and if they are overly reheated, so called **trans saturated fats** are formed, which are even worse for our body than saturated ones. It is better to cook on low temperatures or use coconut and palm oil, which contain mostly unsaturated fats.

Proteins represent the last group of macronutrients. They are absolutely necessary for our body, since they are the main structural component of our body. There are a lot of them in meat and meat products. This type of food should be in a minority on our plate, in comparison to other macronutrients, and we recommend you to choose very lean meat. There are also a lot of proteins in milk and dairy products, which, in addition, represent a great source of calcium, but we recommend you to opt for those with low fat content. Good substitutes for animal proteins are soy and soy products. These are especially well known among vegetarians. You may not have known this, but a great source of proteins are also nuts, seeds and cereals.



Carbohydrates, fats and proteins, which are macronutrients, represent a major part of our diet. However, vitamins and minerals, also called micronutrients, are also of great importance in our diet. Very small amounts are needed for a normal functioning of our body. Even though they do not have any energy content, they are very important for our body. They participate in antioxidative processes, cell-renewal processes and numerous enzyme reactions. They can be found in various foods, and we recommend you to use the nutrition chart for information on a specific vitamin or mineral. We especially recommend eating diverse food, which would help you to fulfil your requirements for micronutrients and macronutrients.



THE INFLUENCE OF DIET ON BODY WEIGHT

THE WAY TO YOUR IDEAL BODY WEIGHT

ADJUST YOUR DIET ACCORING TO YOUR GENES

In this chapter you will learn how your genetic makeup influences the development of overweight, and how your body responds to different types of fats and carbohydrates. At the end of the chapter we reveal "A diet type" that according to your genetic makeup suits you the best.

We advise you to follow our recommendations because the balance between the intake and the use of calories, physical activity and genetic background is the key to optimal body weight and well-being. It is generally not recommended to eat more calories than are actually burned. In addition to a controlled calorie intake, the right choice of foods is also crucial, as certain foods can cause even more harm, while other foods can improve your condition.

The fact, that a diet based on genetic analysis is truly effective, has been proven by scientific research performed at Stanford University. The study discovered that people who had been eating according to their genetic makeup had lost 4 kilograms more that those who had been trying to lose weight in no accordance with their genetics.

Risk for being overweight Response to saturated fats Response to monounsaturated fats Response to polyunsaturated fats Response to carbohydrates DIET TYPE



Risk for being overweight

Nowadays, excess body weight is a prevailing problem, experienced by many. The biggest culprits for this are our genes, which determine the tendency for storing energy. Numerous genes can be responsible for becoming overweight. In our analysis however, we have included the most reliable genes with the major influence. Undoubtedly, one of the most important genes is MC4R, which is involved in appetite regulation and in maintaining the ratio of ingested and burned calories.

Scientists have discovered a mutation in the DNA sequence close to above mentioned gene, which protects against becoming overweight. It has been scientifically proven that people with a favourable variant of the gene have a smaller likelihood of becoming overweight. In addition to this, we have also analysed other genes that importantly influence the possibility of becoming overweight. With a combination of these genes and based on your DNA, we have calculated the risk which shows how much, compared to the average population, you are prone to becoming overweight. You can find more information on being overweight in the chapter "More on analyses", and the list of all analysed genes can be found in the chapter "Analysed genes".

Your result: HIGHER RISK

You have more unfavourable genes than favourable ones. Such a genetic makeup, in comparison to the average population, determines a higher risk for becoming overweight.



Average

Your result compared to the average

Recommendations

18

- Your risk for becoming overweight is indeed higher, but with an appropriate approach and by conscientiously following our recommendations, you can efficiently reduce this risk.
- We recommend that you reduce your consumption of sugar and sweet foods (double cream, cakes, sweetened drinks, candies, some marmalades and syrups). Such foods have a lot of calories and a very low nutritional value, which is why you would still be feeling hungry.
- Often prepare yourself meals with foods rich in fibre (unprocessed vegetables, bananas, whole wheat cereals). Such foods contain fewer calories, which will help you control your daily calorie intake.
- We recommend that you accompany your meals with green tea, as it speeds up the metabolism of fats and helps use energy.
- Consider your recommended daily requirements of B vitamins, as they have an important role in fat metabolism.
- Try to maintain regular physical activity. We recommend a half-hour walk every day and activities recommended in the "Muscle structure" analysis.
- On days when you are less physically active, reduce your calorie intake accordingly.

Genes vs. environment



"Did you know that we face an epidemic of obesity? In Europe, one third of the population is overweight! Experts predict that being overweight will increase medical costs, as it is associated with many cardiovascular diseases as well as psychological problems."

Response to saturated fats

Saturated fats are found mostly in food of animal origin. Our body uses them as a source of energy, but, unfortunately, in connection to the genetic makeup, they also have the property of increasing the risk for becoming overweight. Scientists have discovered from a 20 yearlong study, a gene that causes some people gain weight quicker due to saturated fats than others. They discovered that the saturated fats have even more negative effect on people with unfavourable variant of gene APOA2. In case of excessive consumption of saturated fats, they have twice as high risk for becoming overweight, compared to carriers of the common variant of the gene. Despite this fact, people with a risk variant of gene APOA2 do not need to worry: by reducing the saturated fat intake, they can lower their BMI by 4kg/m². Such differences have occurred between people with an unfavourable variant of the gene who have consumed normal amounts of saturated fats and those who have appropriately limited their intake.

Your result: UNFAVOURABLE RESPONSE

You are the carrier of two unfavourable copies of APOA2 gene, and this is why limiting the consumption of saturated fats is recommended for you. Approximately 15 percent of people from the population have such a genetic makeup, as you have.

Recommendations

- Based on your variant of the gene APOA2, we recommend a smaller consumption of saturated fats, as already normal amounts can have an unfavourable influence on your body weight.
- Food preparation with animal fat is not recommended: we do not recommend the use of pork lard, cracklings and beef lard.
- Before preparing meat, remove all visible fat and prepare it in such a way that you use as little fat as possible (cooking in its own juice, roasting in the oven or on the grill).
- If possible, exclude butter from your recipes, and reduce the use of cheese or cream spreads. Instead, use butter spreads that are combined with vegetable oils.
 We recommend using skimmed or semi-skimmed milk and low-fat
- We recommend using skimmed or semi-skimmed milk, and low-fat dairy products.
 We do not recommend palm or coconut oil, because they predominantly contain saturated fats.

Useful information

- Why w
- Can ou them
- Their i
- Their a
- Where

Gene - Part of the DNA sequence that carries the information for the formation of protein. Genes are inherited from parents by their descendants, and give information, which is needed for the formation and development of an organism. DNA - a molecule, found in the cell nucleus, which carries the instructions for the development of an organism. Human DNA is encoded by three different nucleotides and has the shape of a double coil.

BMI - body mass index. The ratio of body mass and square body height (kg/m^2) .

ve need them	Source of energy for the body
ur body produce	Yes
influence	Increase LDL, slightly increase HDL
advantage	More suitable for preparation of hot meals – do not form trans fats
e are they found	Animal meat, milk and dairy products, coconut and palm oil

Response to monounsaturated fats

Monounsaturated fats, just like saturated fats, are non-essential – they are not necessary for survival, because our body knows how to produce them. However, they are very beneficial for our organism, because they visibly influence the increase of good HDL cholesterol, and simultaneously reduce the level of triglycerides and LDL, or weaken cholesterol. In addition, it has been proven that they reduce the risk for becoming overweight. Their increased consumption can, therefore, be very beneficial, especially, if we are the carriers of a certain variant of a gene. It has been discovered that people with a favourable variant of the APIPOQ gene can efficiently reduce their body weight with a sufficient intake of these fats. The sufficient intake of monounsaturated fats has enabled the carriers of favourable variant of the APIPOQ gene an approximately 1.5kg/m² lower BMI. Therefore, if you are the carrier of a favourable variant of the APIPOQ gene, a slightly higher intake of monounsaturated fats, which will favourably influence your body weight, is recommended.

Your result: FAVOURABLE RESPONSE

The analysis has shown that you are a carrier of a genetic makeup which determines a favourable response to monounsaturated fats.

"In monounsaturated fats, oleic acid (largely present in olive oil) is particularly beneficial for our health. Olive oil also contains many antioxidants and its use can protect you even against cardiovascular disease."

Recommendations

- We recommend that from now on, you would slightly increase the intake of monounsaturated fats, because due to your genetic makeup, you can lose some excess weight.
- Avoid (multiple) heating of oils on high temperatures as they can lose a large amount of positive qualities, or transform into trans fats, which are damaging to your health (trans fats increase the levels of triglycerides and LDL cholesterol, and reduce the HDL cholesterol level).
- Follow your diet plan which takes into account your response to monounsaturated fats. In it you will find the recommended daily intake of monounsaturated fats and other important information concerning meals.
- A lot of monounsaturated fats can be found in sea fish (mackerel, tuna) and nuts (almonds, pistachios and peanuts). Otherwise, for an optimal menu planning, we recommend a continuous use of nutrition charts.

Useful information

Why we need them	Source of energy, growth, development, functioning of the heart and nervous system
Can our body produce them	Yes
Their influence	Visibly reduce LDL and triglycerides and increase HDL
Their disadvantage	Less suitable for preparing hot meals – form trans fats
Where are they found	Almonds, hazelnuts, walnuts, cashews, seeds, olive oil



Monounsaturated fats - an extremely beneficial type of fatty acids. Triglycerides - a form of fat storage. A high triglyceride level in the blood is not healthy and it is connected to numerous illnesses. A more common (copy) of the gene - DNA gene sequence which, on an analysed site, contains a nucleotide that is the most common in a population, and it, therefore, has a frequency higher than 50 percent.

Response to polyunsaturated fats

Polyunsaturated fats are, unlike saturated and monounsaturated fats, essential for our body – our body desperately needs to get them from food, as it cannot produce them. They are vital for a healthy heart and brain function, as well as our growth and development. The most important are the groups of omega-3 and omega-6 fatty acids, whose ratio in our diet should be 1:5; but in a modern-day person, the ratio of omega-6 fatty acids is increasing, which is not very healthy. Even though polyunsaturated fats are very beneficial for our body, they have an even more positive effect for some people.

In a research study on which our analysis is based, it has been discovered that a certain variant of the gene PPAR-alpha can determine the relationship between polyunsaturated fats and triglycerides in the blood. It has been proven that people with a risk variant of the gene, and with an inappropriate intake of polyunsaturated fats, have a 20 percent higher triglyceride level compared to other people. And this can have an unfavourable effect on your health. High intake of polyunsaturated fats has completely levelled out these differences, and it is therefore so much more important for people with a risk variant of the gene to adjust their diet and increase the intake of polyunsaturated fats.

"Did you know that with all fat abundance of a typical diet, we are mostly suffering a fat deficiency? We are lacking polyunsaturated fats that are essential for adequate functioning of our cells. A simple way to improve this deficiency is by consuming mustard oil, which has a high content of polyunsaturated fats."

Your result: NORMAL RESPONSE

You are the carrier of two common copies of the gene PPARalpha, which causes you to perfectly normally respond to polyunsaturated fats.

Recommendations

- you.

Use

Why v them

Can ou produ

Their

Their disady Where

found

Polyunsaturated fats - a very beneficial type of fatty acids. They include omega-3 and omega-6 fatty acids. Essential fats - plant fats, necessary for our body. Rarer form (copy) of a gene - DNA sequence of a gene which, on the analysed site, contains a nucleotide, which is rarer in the population, and it, therefore has a frequency lower than 50 percent.

• Your genetic makeup determines that you perfectly normally respond to polyunsaturated fats. Nevertheless, do not forget about them because they are very beneficial for your health (they help burn body fat).

• The most important are predominantly omega-3 fatty acids, which are many times overshadowed by omega-6 fatty acids. We advise that their ratio should not be higher than 1:5.

• They can be found in many nuts, seeds and fish; for example, in flax seed and salmon.

• Carefully follow your diet plan revealed to you at the end of the chapter. In it, you will find many instructions. You will also learn which daily intake of polyunsaturated fats is the most suitable for

• We recommend you to use nutrition charts, which will enable you to optimally follow our recommendations.

ful information		
ve need	Source of energy, growth, development, the functioning of the heart and nervous system	
ur body ce them	No	
influence	Visibly reduce LDL and triglycerides and increase HDL	
vantage	Less suitable for preparation of hot meals – non-resistant to heat	
e are they	Rapeseed oil, corn, flaxseed oil, pumpkin seed oil, fish oil and fish, spinach, peanuts	

Response to carbohydrates

Carbohydrates are the most basic source of energy needed for physical activity of our body. Because of their taste, we sometimes call them sugars. Various diets have a very different attitude towards them: some diets are based on carbohydrates, while other recommend limiting them. Yet other ones recommend that we consume them separate from proteins and fats. Of course, such diets are not successful with all people, because they do not consider your genetic makeup. We, however, have done precisely that.

We have analysed the genes FTO and KCTD10, which determine the influence carbohydrates will have on your body. It has been discovered that people with a risk variant of the FTO gene, in case they do not consume enough carbohydrates, are 3-times more susceptible to becoming overweight, compared to people who are carriers of two common variants of the FTO gene. With an adjusted intake of carbohydrates, they can considerably eliminate this risk. On the other hand, the gene KCTD10 determines the relationship between the intake of carbohydrates and the HDL cholesterol level and with an inappropriate intake and a risk variant of the mentioned gene, the HDL cholesterol level can rapidly decrease.

Your result: UNFAVOURABLE RESPONSE

Your DNA analysis has shown that you are the carrier of two unfavourable copies of the KCTD10 gene, which determines that your body has an unfavourable respond to carbohydrates.

Recommendations

- Despite your unfavourable genetic makeup, there is no need to worry. It is only important that you limit your daily intake of carbohydrates.
- One of the effective ways to reduce your daily intake of carbohydrates is to prepare unseasoned boiled potatoes instead of whole wheat rice potatoes have fewer carbohydrates, which is surprising, but true.
- More detailed information concerning your optimal diet can be found at the end of the chapter, in your diet plan. In it you will also find all the information needed for preparing an optimal menu.
- For an easier and more effective preparation of menus we recommend a consistent use of nutrition charts.

Useful information		
Why we need them	Source of energy, bone- and cartilage-building	
Deprivation	Decrease of body and muscle mass, malnourishment, bad mood	
Where can they be found	Cereal products (bread, cereals, pasta), vegetables, fruit	

"Apples, oranges and apricots after a meal can be a reason for discomfort. They contain the substance pectin that bounds water and swells. With some people it can lead to feeling bloated or belching."



Carbohydrates - apart from proteins and fats, it is the main macronutrient. It is the basic source of energy. Types of fats - in essence, we differentiate animal saturated fats and plant mono- and polyunsaturated fats. HDL cholesterol - good cholesterol. A desired level should be as high as possible.

DIET TYPE

It is much easier to tell what is unhealthy in general for all of us, than to answer the question about what type of diet is most suitable for an individual. The reason for this is the genetic makeup, which determines the suitability of a specific diet plan for our body. This is precisely why one diet can be very successful for one person, but does not work for someone else, or it can even have a negative effect.

The diet that we recommend is not merely coincidental, but it is based on your genetic makeup. The diet based on your personal DNA analysis considers your individual characteristics and allows you to eat what your body truly needs.

LOW INTAKE OF SATURATED FATS WITH EMPHASIS ON MONOUNSATURATED Your diet: FATS AND A CONTROLLED INTAKE OF CARBOHYDRATES

Your organism responds negatively to saturated fats, therefore, we recommend you to limit their intake accordingly. In addition to this, control your intake of carbohydrates and opt mostly for foods which are a source of guality carbohydrates. Replace saturated fats mostly with monounsaturated fats, because you respond to them favourably. Also, do not forget to also include in your menu a recommended amount of polyunsaturated fats and proteins.

An optimal daily calorie intake

Age	Exclusively sitting activity with little activity in free time	An occasionally higher use of energy for walking and standing activities	Regular moderate physical activity	Intensive physical activity
	kcal/day	kcal/day	kcal/day	kcal/day
1 to 4	938 *			
5 to 7	1313 *			
8 to 10	1594 *			
11 to 13	1875 *			
14 to 19	1875	2156	2438	2719
20 to 25	1781	2063	234	2625
26 to 51	1781	1969	2250	2531
52 to 65	1688	1875	2156	2344
over 65	1500	1688	1969	2156
* Independent of physical activity				

With the help of genetic analysis, we have also determined the percentage of daily calorie intake represented by saturated, monounsaturated and polyunsaturated fats, carbohydrates and proteins. The calories can be easily transformed into grams by using the following method:

- 1 gram of protein or carbohydrates is 4 kcal
- 1 gram of fat is 9 kcal

Example: 10 percent of monounsaturated fats in a daily intake of 2000 kcal is 200 kcal, which is approximately 22 grams (200/9) of monounsaturated fats.

YOUR RECOMMENDED DAILY PERCENTAGES OF BASIC NUTRIENTS

Nutrient	Your response	Daily into
Saturated fats	UNFAVOURABLE	5
Polyunsaturated fats	NORMAL	7
Monounsaturated fats	FAVOURABLE	16
Carbohydrates	UNFAVOURABLE	47-50
Proteins		22-25

Your recommendations

MEAT AND FISH

You shouldn't opt for meat more than three times a week. Avoid animal fats that can be found in butter, sausages, frankfurters, beef and pork.

A good measure is also to remove all visible fat from the meat before you prepare it: eat poultry without skin and rabbit meat. Avoid using cracklings, pates and other processed meat products. Eat fish at least twice a week. Cod, sardines, hake and tuna in its own juice contain the least amount of saturated fats. MILK AND DAIRY PRODUCTS

We do not recommend whole milk and dairy products. They contain hidden fats, which can affect you negatively. We recommend that for breakfast you choose skimmed milk or low-fat yoghurt without added sugar. Choose low-fat cheese such as ricotta and mozzarella, and other dairy products: skimmed cottage cheese, or even better, buttermilk. Prepare a simple spread - add a pinch of chopped chives, or parsley to two spoonfuls of skimmed cottage cheese. OILS, NUTS AND SEEDS

amount of it.

Replace margarine with butter spreads which are combined with vegetable oils. Pay attention to products containing palm or coconut oil, as they mostly contain saturated fats. During the day we recommend a spoonful of pumpkin seeds, a small handful of cashews, peanuts or 5 walnuts. LEGUMES, VEGETABLES AND STARCHY FOODS

peas, beans, leek, kohlrabi, cauliflower, mangold, lamb's lettuce, lentils and dandelion. Prepare them as salads or side dishes, but they can also represent the main course. Instead of fried potatoes, prepare yourself roasted potatoes or boiled potato cubes with added pinch of chopped chives or a spoon of sesame seeds.

Other sources of carbohydrates should be unmilled rice, whole wheat or black bread, bran, kale and fennel. Avoid eating bread with your lunch, to help you to additionally limit the intake of carbohydrates. FRUITS

Try to eat one of the following fruits every day: an apple or a pear, a handful of blueberries, gooseberries or black currant. Choose the fruit which is your favourite.

Let fruits be the substitutes for sweetened artificial beverages which have an even more negative effect than saturated fats. GENERAL RECOMMENDATIONS

Eat at least 5 meals a day: breakfast, morning snack, lunch, afternoon snack and dinner. Decide for buying products with low fat content.

Do not season food with mayonnaise and tartar sauces.

Do not fry your food. In order to use as little fat as possible, we recommend roasting in aluminium foil or Teflon pan, or preparing food by boiling it or stewing in its own juice.

ike %

"Did you know that there are more than 50 different diets? Annually, 25% of adults use one of these diets to loose ther excess weight, but the lost weight is most often quickly regained. The real solution lies in a permanent change in eating habits and lifestyle, which can be reached through our advice based on your genetic code."

- For preparing food, we recommend virgin olive oil or flaxseed oil. However, do not exaggerate with adding oil. Add only a necessary
- Limit the intake of carbohydrates to a recommended value, because an excessive intake can have an unfavourable impact on your health. Your diet should consist of complex carbohydrates. We recommend that you eat legumes and other vegetables, such as, for example,

NUMEROUS HEALTH COMPLICATIONS

Cholesterol is a substance which is normally produced by our body, and additionally it is also found in food. We differentiate good HDL cholesterol and bad LDL cholesterol. In addition to cholesterol, our health is also influenced by blood sugar level, which has to be as low as possible, and triglycerides, which, if increased, have the same effect as bad LDL cholesterol. Inappropriate levels of any of these components can quickly cause cardiovascular complications, increased blood pressure, obesity and diabetes. This is, in a way, prevented by complex body mechanisms which are fighting against the external influences (the influence of diet, smoking, alcohol, etc.) and are trying to maintain their optimal level. How good they are at this, mostly depends on our genes. Therefore, people with unfavourable genes have to be so much more careful about their diet and lifestyle.

In this chapter, you will learn what levels of LDL and HDL cholesterol, triglycerides and blood sugar are determined by your genes. In case of unfavourable genes, it is really important to appropriately adjust your diet and achieve a better health.

FACTORS INFLUENCING METABOLISM

HOW MUCH DO GENES **INFLUENCE YOUR METABOLISM** AND HEALTH

HDL (good) cholesterol LDL (bad) cholesterol Triglycerides Blood sugar

WITH AN APPROPRIATE DIET YOU CAN PREVENT



HDL (good) cholesterol

HDL cholesterol, also known as good cholesterol, is beneficial because it reduces the levels of LDL cholesterol and protects against cardiovascular disease. The HDL particles carry cholesterol from the veins towards the liver, where it is excreted from the body. This is the reason why high levels of HDL cholesterol are an important health factor. While it is true that we risk cardiovascular disease, if our HDL cholesterol level drops below 1mmol/l, the HDL level between 1 and 1,5 mmol/l is determined as average (normal). However, a level, higher than 1,5 mmol/l, already protects us from cardiovascular disease. Therefore, the more HDL cholesterol we have, the better it is for our health. In addition to diet and lifestyle, HDL cholesterol level is influenced also by our genes. We analysed the genes with the greatest impact on HDL cholesterol. In this way we can effectively determine the level of HDL cholesterol that is determined by your genes.

Your result: AVERAGE LEVEL

Your genes determine an average HDL cholesterol level, since you have about the same number of favourable and unfavourable variants of genes.

Recommendations

- You are in between a good and a bad genetic makeup and, by following our recommendations, you can increase your HDL cholesterol level and maintain it above the critical value of 1 mmol/l.
- We recommend a slightly more regular consumption of seafood, especially prawns, squids, shrimps and mussels. They contain a lot of unsaturated fats, which have been proven to increase the HDL cholesterol level. A good alternative to seafood is also onion, which can be added to various foods.
- Your HDL cholesterol level is influenced also by body weight. In case you are too heavy, start fighting against excess weight with physical exercise. If you are not sure which activity to opt for, choose one from the suggested activities in the "Muscle structure" analysis.
- · You will also contribute to the increase of the HDL cholesterol level by giving up smoking. If you do not smoke, avoid passive smoking, as it also reduces the HDL cholesterol level.

Useful information

Lay term	Good or beneficial cholesterol
Optimal state	As high as possible (above 1 mmol/l)
Why it decreases	Genetic tendency, consumption of trans fats not enough exercise, stress, smoking,
Why is it beneficial	Inhibits LDL oxidation and eliminates it from arteries



Genes vs. environment



LDL (bad) cholesterol

LDL cholesterol, also known as bad cholesterol, is one of the two best-known cholesterol types. It is called the bad cholesterol because of the fact that too much LDL cholesterol is harmful for our health. It slowly accumulates in the inner walls of the arteries, which supply the heart and the brain, and forms thickenings which narrow the arteries and make them less flexible. This phenomenon is called atherosclerosis. When the state does not improve for a longer time, a clot forms and prevents the blood flow in the artery, which can lead to a heart attack or a stroke.

An optimal LDL cholesterol level is below the value 3 mmol/l, which can be measured with a blood analysis. In addition to diet and lifestyle, also your genetic makeup importantly influences the LDL cholesterol level. In our analysis, we have included genes which are the most closely connected to the regulation of LDL cholesterol and have a great influence on it. The combination of all the analysed genes gives reliable information about the level of LDL cholesterol determined by your genes.





Why i

Why is

affected by the hormone melatonin, produced in the skin. It is formed exclusively at night; therefore sufficient sleep can help reduce your LDL cholesterol. Some melatonin is present also in mustard seeds, almonds and sunflower seeds."

"Our level of LDL cholesterol is significantly

LDL cholesterol - harmful for our health and this is why its level should be as low as possible. Artery - a blood vessel that carries blood away from the heart. The main artery is the aorta.

HDL cholesterol - good cholesterol. A desired level should be as high as possible. Gene - Part of the DNA sequence that carries the information for the formation of protein. Genes are inherited from parents by their descendants, and give information, which is needed for the formation and development of an organism.

Your result: AVERAGE LEVEL

Results of the analysis have shown that you have favourable, as well as unfavourable variants of genes, and this determines an average LDL cholesterol level.

Recommendations

• Your genes encode an average LDL cholesterol level, which you can additionally reduce with physical activity, and reach an optimal LDL cholesterol level below 3 mmol/l.

• An excellent preventive measure is to limit the intake of foods which contain trans fats (they are formed when processing oils at high temperatures): margarines, fast food, fried food, roasted nuts, mayonnaise, pastry and cakes.

• Pay attention to foods which contains cholesterol. Limit it to 300 mg per day, which is, approximately, an egg and a half. It is wise to remove the yolk (the egg white does not contain cholesterol).

• We recommend that you add more garlic and onions to your food: preparations from garlic and onions have been proven to reduce the LDL cholesterol level.

• Try to eat food rich in fibres, which will favourably influence the LDL cholesterol level. You will find enough fibres in whole wheat pasta and bread, plums and pears.

rm	Bad cholesterol
al state	As low as possible (below 3 mmol/l)
increases	Fatty foods, high calorie intake, diabetes, genetic tendency, too little exercise, stress, smoking, alcohol
it beneficial	Hardening of the arteries, interrupted blood flow, clogging of the arteries, heart attack, stroke

Useful information

Triglycerides

Triglycerides are actually a type of fat where our body stores energy. They are the most common fats in our body, and their level can quickly become too high. An acceptable level of triglycerides in the blood is less that 1.7 mmol/l, but it is often exceeded. The most common cause for this is a combination of unfavourable genes, an unhealthy diet, and an inappropriate lifestyle. People with a high triglyceride level (this condition is called hypertriglyceridemia) have an increased risk of a heart attack, and this is why it is crucial for our health to keep the triglyceride level as low as possible.

In the following analysis you will learn the level of triglycerides determined by your genes. The most favourable genes encode a 70 percent lower triglyceride level, whereas the least favourable genes determine a 60 percent higher triglyceride level. It is crucial for carriers of less favourable genes to try to follow our recommendations.



Triglycerides - a form of fat storage. A high triglyceride level in the blood is not healthy and it is connected to numerous illnesses. Fats - important constituents and an energy source, which contains twice the amount of energy of carbohydrates or proteins.

Blood sugar

Optimal state

Why are they

dangerous

found

After we consume carbohydrates, which are the most important source of energy, our body breaks them down into simple sugars, which are then absorbed into the blood stream. The blood sugar level rises and special mechanisms have to make sure that it quickly drops to a basic level. In some people, this regulation in not adequate, and the blood sugar level drops to a basic level much slower, or it stays permanently increased. A certain influence, apart from diet, is also assigned to our genetic makeup. In various studies scientists have identified the responsible genes, and now, with their analysis, we can determine whether you have to pay more attention to your diet because of the unfavourable variants of these genes. Certain mutations can occur in these genes, which influence the processes of blood sugar regulation, and these deficiencies can lead to a permanent increase of blood sugar. In our analysis, we have included the most reliable genes which have a great influence, and which represent an efficient tool for predicting your blood

Your result: LOW LEVEL

Your genetic makeup determines a low blood sugar level, as the majority of genes are present in a favourable variant.

Recommendations

• Your diet plays an important part in blood sugar regulation. Accordingly, try to follow our recommendations and ensure an optimal blood sugar level which is 5.5 mmol/L.

• It is important that you do not eat too many simple sugars (white bread, cakes, biscuits, chocolates, sugar, and coffee from the coffee machine), because such foods increase the blood sugar level.

• Eat complex carbohydrates instead, which are digested more slowly, and blood sugar increase after a meal is, therefore, much smaller and slower than with simple sugars. Plenty of complex carbohydrates can be found in legumes (broad beans, beans, peas, and lentils), whole wheat bread, different cereal and wheat bran.

• We recommend drinking green tea on an empty stomach, as it reduces blood sugar.

• Just as for the regulation of triglycerides and cholesterol, we also recommend physical activity for regulating blood sugar. With it, you can burn sugars and ensure a more effective functioning of your entire organism. Go for a walk or start your favourite activity every

Genetic tendency, obesity, added sugars, too little exercise, stress, high blood pressure
Atherosclerosis, heart attack, stroke, weakened immune system
Dieting, regular physical activity, food with low glycaemic load

Useful information



THE REQUIREMENT OF NUTRIENTS

WHICH VITAMINS AND MINERALS DOES YOUR BODY NEED

MICRONUTRIENTS PLAY AN IMPORTANT PART IN YOUR HEALTH

Micronutrients, which include vitamins and minerals, are vital for our health. They are essential for the functioning of our organism; they improve our well-being and prevent many diseases. Their daily requirements are determined by numerous factors, and among them is also our genetic makeup. It determines which vitamins and minerals we have to consume in an increased amount, or vice versa, and which of them we have in sufficient amounts and we simply have to maintain their levels. We can get almost all of the vitamins and minerals with regular food. However, this can be slightly more difficult in case we are prone to the lack of them. In such cases, food supplements are a good option.

In this chapter, we will reveal to you what levels of vitamin B complex, vitamin D and minerals, such as iron and potassium, are determined by your genes. In addition, you will learn how sensitive you are to kitchen salt or sodium, and what bone density is determined by your genes. The latter can be specifically adjusted with an appropriate intake of vitamins and minerals.

Vitamin B6 Vitamin B9 Vitamin B12 Vitamin D Iron Sodium (salt) Potassium Bone density



Vitamin B6

Vitamin B6, also known as pyridoxine, has numerous functions which are extremely important for our health. More than 100 enzymes, involved in the metabolism of fats, need it for their function, and it is crucial for red blood cell metabolism and for the functioning of the nervous and immune system. All of this confirms its key role in achieving optimal health. Some people are genetically prone to having a lower level of vitamin B6 in their body, which also, among other things, depends on the variant of the ALPL gene. In the study, on which this analysis is based, people with an unfavourable copy of the ALPL gene had an approximately 20 percent lower level of vitamin B6. People with two unfavourable copies of the gene ALPL gene had, in comparison to people with two copies of favourable genes, up to a 40 percent lower level of vitamin B6. The reason for such differences is less effective absorption of vitamin B6 in people with an unfavourable variant of the ALPL gene. As a result they have a higher requirement of vitamin B6.

Your result: AVERAGE LEVEL

You have one favourable and one unfavourable copy of the ALPL gene. Compared to people with two favourable copies, you have a 20 percent lower level of vitamin B6. Approximately 50 percent of people have such a genetic makeup.

Recommendations

- Your genotype is not optimal and we recommend that you increase the intake of vitamin B6.
- Make sure that you consume 1600 mg of vitamin B6 daily.
- Slightly more vitamin B6 can be found in lamb, turkey meat, mackerels, bananas, broccoli, spinach, buckwheat bread and peanuts.
- Use nutrition charts to follow our recommendations, and you will see that vitamin B6 is widely represented in different foods. Choose food which suits you the most, and is also in accordance with the recommendations of your diet plan.

Useful	information	

Why we need it	Fat metabolism, appropriate functioning of the nervous system, a healthy skin
Effects of the lack	Muscle cramps, disruption in the functioning of the nervous system, skin changes
Where is it found	Yeast, liver, legumes, fish, whole wheat cereal



Vitamin B9

"Vitamin B9 is called also folic acid. The name is a derivative of the Latin word folium, meaning leaf. No wonder, since most Vitamin B9 is also

in leafy vegetables. Because our body cannot produce folic acid, the consumption of leafy

vegetables is highly advisable."

Vitamin B9, also known as folate, or folic acid, is a water-soluble vitamin, which is crucial for an adequate metabolism (an essential component of enzymes), healthy blood, DNA synthesis, and it is also an important factor which reduces the risk of cardiovascular disease.

One of the best-known and most important enzymes, which ensure an appropriate B9 vitamin level, is MTHFR. A mutation can occur within the gene that determines this enzyme. This can greatly influence the vitamin B9 level, which has been confirmed by many studies. MTHFR enzyme is sensitive to temperature and thus less active in people who are carriers of an unfavourable variant of the gene, resulting in lower vitamin B9 level. It has been discovered that every unfavourable copy of the MTHFR gene markedly reduces the vitamin B9 level. In case you are the carrier of one of the unfavourable copies of the gene, it is highly recommended that you adjust your diet to achieve optimal health.

You are the carrier of one favourable and one unfavourable copy of the MTHFR gene, and your enzyme activity is, consequently, 40 percent lower, which determines a lower vitamin B9 level. Approximately 43 percent of people have such a genetic makeup. Recommendations

- day.

Us

Why

The e

Wher

DNA - a molecule, found in the cell nucleus, which carries the instructions for the development of an organism. Human DNA is encoded by three different nucleotides and has the shape of a double coil. This means that two chains of DNA, which are anti-parallel and coil around one another.

Enzyme - a protein involved in chemical processes in the body. Its purpose is to reduce the activation energy required for chemical reactions and thus facilitating their course. This enables faster conversion of substrate to product, for example, conversion of starch into glucose. Metabolism process of the breakdown, or formation of new substances in the body.

Your result: LOWER LEVEL

• You have a less favourable genetic makeup which determines a lower vitamin B9 level. However, there is no need for worry, because you can significantly contribute to your final state by choosing foods which contain slightly higher amounts of vitamin B9.

• We recommend that, with the help of nutrition charts, you prepare meals which will enable you to consume 500 mcg of vitamin B9 per

• High amounts of vitamin B9 can be found in fruits (dried apricots, apples, oranges, melons, kiwi) and vegetables (lentils, carrots, sauerkraut, leek, broad beans, broccoli).

• For example, have some fresh orange juice in the morning, and include leek soup in your lunch.

ful information		
we need it	Red blood cell maturation, DNA and RNA synthesis	
ffects of the lack	The reduction in number of blood cells	
e is it found	Green leafy vegetables, fruit, beer yeast	

Vitamin B12

Vitamin B12, also known as cobalamin, has a central role in the functioning of the entire nervous system, which is important especially for cognitive abilities. Vitamin B12 is involved in the synthesis of DNA and red blood cells, as well as the synthesis of fatty acids. Vitamin B12 blood level below 200pg/ml indicates its lack. A healthy diet gives the body sufficient amounts of vitamin B12. The lack of it, however, is common in vegetarians, vegans, older people and people who are genetically prone to the lack of vitamin B12.

Numerous studies have confirmed the influence of gene FUT2 and its mutation on vitamin B12 level. The research that we rely on has proven that every unfavourable copy of the FUT2 gene reduces the level of vitamin B12 level by 10 percent. As a consequence, people with the least favourable genetic makeup have a 20 percent lower vitamin B12 level.

Vitamin D

Vitamin D is an important vitamin, which enables the absorption of calcium from the intestines into the blood – vitamin D, allows the calcium to be incorporated into our bones, and is therefore an important factor which enables healthy bones. The level of vitamin D depends on our diet and the exposure to sun, as well as on our genetic makeup.

In a study, started in 2010, vitamin D levels were measured for 33 000 people and several genes were analysed for their influence on vitamin D uptake. Three genes, that slightly varied between people and influence vitamin D levels, were identified. The mutation in the gene GC had the greatest influence, and people with two unfavourable copies of the gene had a 20 percent lower vitamin D level. Genes DHCR7 and CYP2R1 have also been analysed in addition to GC. and they had an equally important influence on the vitamin D level. The three genes mentioned have been included in our analysis and, based on this analysis, we can effectively predict the level of vitamin D determined by your genes.

Your result: AVERAGE LEVEL

You have one favourable and one unfavourable copy of the FUT2 gene. Approximately 49 percent of people have such a makeup, and it determines that you have 10 per cent less vitamin B12 compared to people with two favourable copies and 10 per cent more compared to people with two unfavourable copies of the FUT2 gene.

Recommendations

"Did you know that the elderly have lower levels of vitamin B12? And this is supposed to be one of the reasons, why our memory fades with increasing age. It is very likely also that vitamin B12 deficiency plays an important role in the development of Alzheimer's disease, therefore intensive research is on-going in this field."

"Wondering why the analysis of vitamin D mentions magnesium? Sufficient levels of magnesium in the blood are essential to convert vitamin D into its active form. Magnesium also plays an important role in the influence of vitamin D on the immune system."

Genes vs. environment

environment

45 %

- state.





The e

Wher

Absorption - taking in, ingestion. Gene - Part of the DNA sequence that carries the information for the formation of protein. Genes are inherited from parents by their descendants, and give information, which is needed for the formation and development of an organism.

genes 55 %

- You can efficiently improve the level of vitamin B12 with an appropriate diet. You should slightly increase its intake by choosing foods with more vitamin B12.
- We recommend that you consume 4 mcg of vitamin B12 per day.
- Plant foods do not contain vitamin B12 and we, therefore, recommend all kinds of fish, clams, lamb, milk and dairy products.
- To additionally diversify your food, you can include seaweed, which is also a good source of vitamin B12.
- If you are a vegetarian, we recommend taking vitamin B12 food supplements.

Useful information

Why we need it	Red blood cell maturation, the functioning of the nervous system, DNA synthesis
The effects of the lack	Anaemia, psychological disorders, bad eye sight
Where is it found	Beef, pork, offal, eggs, milk and dairy products



Your result: AVERAGE LEVEL

The analysis has shown that you are the carrier of a genetic makeup which determines an average vitamin D level.

Recommendations

• Your genetic makeup determines an average vitamin D level, and with an appropriate choice of foods, you can further improve your

• Compared to people with the most favourable genes, you have slightly higher vitamin D requirements, and we recommend that you consume 7 mcg of vitamin D daily.

• There is plenty of it in fish (sardines and mackerels), and dairy products (creme fraiche, Edam cheese, and mozzarella).

• We recommend regular walks in nature, because sun exposure encourages the synthesis of vitamin D.

• The lack of vitamin D can express mostly in vegetarians and, in this case, we recommend food supplements.

Calcium absorption from intestines into the blood, the formation and regeneration of bones		
Incorrect growth and healing of bones, rickets, occasional muscle cramps		
Milk, beer yeast, fish oil, sardines, salmon, tuna, liver		

Iron

Iron is a mineral which is needed for a healthy blood and an adequate functioning of numerous enzymes. Although the problem is mainly its lack, some people actually have an excess of iron. In order for our organism to avoid the two extremes, the iron level in our body is carefully regulated.

One of the genes that are in charge of the appropriate iron level in our body is the gene HFE. In some people it is dysfunctional, and this results in a too high iron level. According to scientific articles, 80 percent of people that have a too high iron level have an unfavourable variant of the HFE gene present on both of their chromosomes. However, among these, only 28 percent of men and 1 percent of women actually developed signs of excess iron accumulation in the body. This information proves that apart from the high importance of genes, our diet also plays a vital role, since it determines 70 percent of the final iron level.

Your result: LOWER LEVEL

Our analysis has shown that you have unfavourable copies of the analysed genes present, which determines a genetic tendency for a lower iron level.

Recommendations

- Your genotype determines a lower iron level, which is unfavourable, and we advise you to increase your daily iron level to 22 mg.
- We recommend pumpkin seeds, pistachios, cashews, poppy and sesame seeds, rice bran and clams, where the biggest amount of iron is found.
- In order to accurately follow your daily requirements, we recommend a regular use of nutrition charts, in which you should check which foods contain plenty of iron.
- In addition, we recommend eating carrots, apricots, grapes and tomatoes, which contain beta-carotene and vitamin C. The latter actually increases the absorption of iron into the body.
- You should also consider food supplements, which contain iron in many forms.

Useful information

Why we need it	Oxygen supply to the body, enzyme function
The effects of the lack	Anaemia, fatigue, weakened immune system
Where is it found	Pork, beef, liver, red meat, mussels, egg yolk, nuts, beans, oatmeal



Genes vs. environment

genes

30 %

environment

70 %

Chromosome - a stick-like form of DNA molecule, where there are present hundreds or thousands of genes. In the nucleus, there are 22 autosomal chromosome pairs, and 2 sexual chromosomes. In addition to the molecules of DNA, there are also proteins (mostly histones) present, around which the DNA is coiled. Such coiling and further formation results in a tightly formed chromosome, which takes up less space than an uncoiled molecule.

Sodium (salt)

Sodium is the main ingredient of kitchen salt, and it is also present in many other foods – predominantly those of animal origin. It is responsible for a normal functioning of the nervous system and the muscles, as well as for maintaining the osmotic pressure and the regulation of the amount of water in the body. Our body usually does not have problems with the lack of sodium, and food with less sodium is therefore considered the healthiest. It has been proven in many studies that an excessive intake of sodium (salt) is an important health risk factor. Sodium actually increases blood pressure, and this leads to other medical conditions. In the studies, where they attempted to gradually decrease salt intake, the systolic blood pressure (the pressure when the heart pushes the blood through arteries) in adult population dropped by 5 percent in average, which reduced the occurrence of stroke and cardiovascular disease by 24 percent and 18 percent, respectively. It is, therefore, recommended to limit salt intake. This is much more important for people whose blood pressure is even more sensitive to sodium or kitchen salt due to their genetic makeup.

makeup.

- We recommend low sodium foods, which means that you should try to limit your daily sodium intake to not more than 1200 mg. • Pay attention to food labels: choose foods that do not have added
- salt. • Instead of improving the taste of food with salt, use different herbs and spices. We recommend lemon, bay leaf, nutmeg, coriander, dill, garlic or mint.
- It is also important that you drink 2 litres of fluid daily. This way the excess salt will pass out of your body.
- Consider also the recommendations from the "Potassium" analysis, because its lack also influences the increase of blood pressure.

Why

The e

Wher

Osmotic pressure - pressure needed for the cell to get water.

"Throughout history salt has been of great

importance, since it was more important than gold for survival. It was a privilege of kings and the upper strata of society. It even

was even used in prophecies and foretelling destiny. Metaphorically it symbolizes devotion and loyalty, so even today in many places hospitality to the guests is shown by sharing

bread and salt."

Your result: AVERAGE SENSITIVITY

Your sensitivity to sodium is average; however, you are more sensitive compared to people with the most favourable genetic

Recommendations

ve need it	Normal functioning of the nerves and muscles, influence on the blood pressure, carbohydrate digestion
ffects of the lack	Dehydration, disrupted digestion of carbohydrates, muscle cramps
e is it found	Salt, mineral water, cheese, mussels, red beet, meat

Useful information

Potassium

Potassium is, right after calcium and phosphorus, the most widespread mineral in our body. It is important for maintaining a regular heartbeat, the muscle contraction and water regulation in the body. Although, in principle, it is not difficult to enrich our diet with potassium, its lack in people is very common. This is unfavourable, because the lack of potassium increases blood pressure.

In a scientific research on which our analysis is based it has been shown that a variant of the WNK1 gene influences the potassium level in our body. WNK1 is a gene which regulates the transport of potassium, and its link to the potassium level is, therefore, not surprising. Above mentioned research has shown that each unfavourable variant of the WNK1 gene reduces the potassium level by approximately 5 per cent. People with the least favourable genetic makeup have, therefore, a 10 per cent lower potassium level.

Your result: AVERAGE LEVEL

You have one favourable and one unfavourable copy of the WNK1 gene, which determines an average potassium level. Approximately 45 percent of people have such a genetic makeup.

"Potassium is the first item, which was obtained by electrolysis, namely potassium hydroxide. Its name derives from the Arabic word, which means the plant ash. Plant ash includes potassium carbonate, which is also used in the production of soap."

Recommendations

- Your genes determine an average potassium level and we recommend that you slightly increase its intake.
- We recommend that you consume with food at least 2500 mg of potassium per day.
- Eat mainly nuts (Brazilian, cashews, pistachios) and vegetables as for, example, dandelion, lamb's lettuce, kale and beans.
- Potassium is present in foods of all food groups and, you will not find it difficult to fulfil the daily requirements by eating diverse and fresh food.

Useful	information	

Why we need it	Nervous impulse transfer, muscle contraction, maintaining an appropriate blood pressure
The effects of the lack	Loss of fluid, weak blood flow, fatigue, weakened muscles, disrupted heart rhythm
Where is it found	Oranges, bananas, avocado, melons, broccoli, tomatoes, dried apricots, raisins, fish, carrots



A more common (copy) of the gene - DNA gene sequence which, on an analysed site, contains a nucleotide that is the most common in a population, and it, therefore, has a frequency higher than 50 percent. Rarer form (copy) of a gene - DNA sequence of a gene which, on the analysed site, contains a nucleotide, which is rarer in the population, and it, therefore has a frequency lower than 50 percent.

Bone density

By measuring bone density, we define the vitality of our bones. A decreased bone density is most typical for older people, but also younger people can encounter problems. We know two groups of factors which influence bone health. We have no influence on factors such as age, health condition, medications, health therapies and genetic design, but we can contribute to the health of our bones with regular physical activity and an appropriate diet. An appropriate diet and lifestyle are important already in the early age, because they contribute to maintaining bone density later, at an older age.

To date, many genes that determine bone strength have been discovered, and an understanding of mechanisms with which these genes influence bone structure is improving. You can read more about the genes included in the analysis at the end of your personal DNA analysis in the chapter "Analysed genes".



40

Your result: AVERAGE BONE DENSITY

The analysis of genes responsible for bone strength has shown that you have favourable as well as unfavourable genes present, which determines an average bone density.

Recommendations

• In addition to your genetic makeup, appropriate physical activity and an appropriate diet influence bone density, and we advise you to follow our recommendations.

• Calcium is most crucial for healthy bones, and we, therefore, recommend that you consume 1100 mg of calcium daily.

• Enough calcium can be found in chicken and turkey liver, dried figs, dandelion and sesame seeds. The latter contain almost 6-times more calcium than can be found in milk.

• Mineral water can also be a source of calcium. If you do not like milk, bear in mind that 1 litre of mineral water contains as much calcium as two glasses of milk.

• We recommend that you follow the instructions from the "Vitamin D" analysis, because vitamin D as well as calcium, is crucial for the absorption of calcium from the intestines into the blood.

• We recommend that you eat broccoli, cabbage and black currant. Such foods contain a lot of vitamin C, which is important for collagen synthesis (organic part of bones).

Useful information

favourable	Smoking, alcohol, excess weight, soft
nce on bones	drinks
ourable influence nes	Exercise, a healthy diet, sunbathing, calcium, magnesium, manganese, vitamin K

ALSO UNHEALTHY EATING HABITS CAN BE INHERITED

Our health is directly related to our eating habits. Skipping meals, especially breakfast, eating too much candy, eating oversized meals and excessive sweetening of foods are common phenomena in today's society. On one hand, there is a characteristic excessive calorie intake which results in weight-gain, and on the other, there is unhealthy dieting with crash diets which do not have the right effect.

Undoubtedly, our eating habits are also greatly influenced by the environment that we live in. It is full of stress and haste, and such an environment prevents us from developing healthy eating habits. However, eating habits are not merely the consequence of the environment, nor are they completely an individual's free choice. The truth in the matter is that, apart from the environment, it is also our genetic makeup that influences our eating habits.



IMPORTANT INFLUENCES ON YOUR EATING HABITS

Consumption of sweet treats Insatiability and hunger Sweet taste perception Bitter taste perception



EATING HABITS

Consumption of sweet treats

Your result: LOWER TENDENCY

makeup.

Recommendations

strong desire for sweet treats.

will have an unpleasant taste.

times, this urge will start to decline.

honey or yoghurt.

You have favourable copies of the ADRA2A gene present on

both chromosomes, determining a lower intake of sweet

treats. Approximately 48 percent of people have such a genetic

Your genotype is a favourable one, because it protects you from too

• When you are overpowered by the urge to have something sweet

and you are at home, clean your teeth immediately. This will

discourage you from eating sweet food, and if you eat it anyway, it

• Instead of unhealthy vices choose healthy fruit, which also contains

Great substitutes for sweet vices are also rice waffles covered with

• When you will successfully fight your sweet cravings for a couple of

a lot of sugars, but your body burns them more slowly.

Have you ever noticed that some people opt for sweet treats more often than others? Or, perhaps you are asking yourself why it is precisely you who finds it hard to resist sweet treats during the day? Perhaps it is not only your decisions that are to blame, because it has been discovered in a recent study that also one of your genes is responsible for this. Scientists have discovered that a tendency for sweet treats can be predicted from a genetic makeup of an individual. It has been proven that the gene ADRA2A is responsible for this characteristic, as it is involved in the transfer of messages to the brain, where the information from the environment is appropriately processed and interpreted. More than 1 000 people have participated in the research, and they had to record all the food they had consumed over an extended period of time. It has been proven that people with an unfavourable ADRA2A gene variant reach for sweet products much sooner than those who do not have this variant.

Insatiability and hunger

Satiety can be described as the feeling of a full stomach after a meal, while hunger is the feeling of the need for food. Scientists have discovered the link between the feeling of satiety and the gene FTO. This is a gene known to influence the individual's body weight (possibly through the detection of satiety). It has been proven in the scientific research that the carriers of one unfavourable copy of the FTO gene reach the feeling of satiety two times harder, while the probability of carriers of two unfavourable copies of the gene to reach the feeling of satiety is four times smaller compared to people with two favourable copies. People who find it harder to reach the feeling of satiety usually eat more, than those with a normal feeling of satiety and often without reaching the desired feeling.

Hunger is also a complicated mechanism which is set in motion when there is a lack of food in the body. Namely, it is regulated by a part of the brain, called hypothalamus. In addition to body weight, amount of sleep, food and other environmental factors, also the genetic makeup influences the detection of hunger. It has been discovered in a study that people with an unfavourable NMB gene variant are almost two times more prone to feeling hunger than people who do not have this variant of the gene.

You are the carrier of one favourable and one unfavourable copy of the FTO gene, which determines that you reach the feeling of satiety 2-times harder. However, your tendency for feeling hunger is normal, because you have two favourable copies of the NMB gene present.

- meal.
- satiety.

- contains.
- easily.
- smaller.

for food. It is possible that you are not hungry, but your body is dehydrated! Many people confuse feeling thirsty for hunger, when in fact they could quench their "hunger" with a glass of water."

"An uncontrollable desire for food despite a

full stomach shows that actually you're not

hungry. For many people food represents

solace and situations of emotional instability,

stress and boredom often trigger the desire





"Make a simple test. Put a small amount of

sugar on your tongue. At first, you'll feel the

sweet taste, which, after several repetitions of

this test will become less definite. Is not this

proof that you can limit your consumption of

foods containing white sugar?"

44

Hypothalamus - is cherry-size part in the middle of the brain, and it is the centre off all information concerning endocrine hormones.

Recommendations

Your result: HIGHER TENDENCY FOR

• Your genetic makeup determines that you reach the feeling of satiety much harder. Stick to the following recommendations, which will help you increase the probability that you will feel full after a

• We recommend that you often eat foods such as lentils, peas, brown rice, oat bran, carrots, plums, grapefruits, almonds and peanuts. Such foods contain a lot of fibres which will give you the feeling of

• When buying wheat foods, vegetables and packed dried fruits read the food labels and check how many fibres a certain product

• Drink water before meals, as it reduces the free space in your stomach available for food, and this will make you feel full more

• The main course should include soup, and you will see how this will help you achieve fullness with more ease.

• Instead of eating with big cutlery, eat with smaller. The time of the meal would be the same, but the amount of food would be definitely



Sweet taste perception

Tasting is a process in which also smell and sight play an important role, but the main organ for tasting is actually the tongue. Tongue is covered with numerous taste buds which contain taste receptors. When they come in contact with a certain substance, a signal is transmitted to the brain, which then tells us what the taste of the substance is. Based on this we differentiate four basic tastes: sweet, salty, sour and bitter.

An important gene which determines the intensity of the perception of sweet taste is the gene SLC2A2. Scientists have discovered its role from a study that observed the relation of SLC2A2 gene variants to food type and, consequently, the sugar amounts that people consume. It has turned out that people with an unfavourable variant of the SLC2A2 gene consume daily many more sugars than people with a favourable variant. The reason for this is a less intensive perception of sweet taste. As a result the carriers of the unfavourable variant of the SLCA2A gene tend to sweeten their food much more for the same effect.

Your result: MORE INTENSIVE

You are the carrier of a favourable SLCA2A genetic makeup, and your perception of sweet taste is, therefore, more intensive. 73 percent of people have such a genetic makeup.

Recommendations

- Your genetic makeup determines a more intensive perception of sweet taste, which is, in this case, favourable.
- We recommend that you dilute excessively sweet juices with water or mineral water, because they will still retain enough of their sweetness.
- We do not recommend that you sweeten hot drinks. Your organism will, due to your favourable genetic makeup, quickly adapt to this, and later you will no longer miss sugar at all.
- Your intensive sweet taste perception is an additional reason for limiting the intake and excessive use of white sugar. Such sugar can damage your teeth, and has negative impacts for your whole health and well-being.

"The only mammals that do not taste sweet are the family of cats. On their taste buds, cats do not have receptors to detect sweet taste. According to scientists, one of only two genes that are required for the formation of the sweet receptor became non-functional. Unlike dogs, cats, therefore, simply are not moved by candy."

"Favourable or unfavourable feelings to taste have evolutionary significance, since they enabled survival. Substances of very sweet taste evoke pleasurable sensations, as opposed to bitter substances, which discourage people from ingestion. This fact has allowed the separation of high-calorie food sources of potentially toxic substances such as certain alkaloids, which have a bitter taste."

of bitter taste.





Bitter taste perception

Bitter taste is one of the four basic tastes that we differentiate. Its perception passes through taste receptors which communicate it to the brain that then tells us which taste is in guestion. However, the bitter taste perception is not equally effective in all people. The described mechanism can have flaws that are expressed in a less intensive perception

Scientists have discovered that the TASR38 gene is responsible for the different susceptibility for bitter taste. Approximately 80 percent of people in the study were carriers of two common copies of TASR38 gene, as a result did not detect bitter taste. The ability to taste bitter has been determined by the ability to taste a special substance, called 6-N propylthiouracil (PROP). PROP is, normally, not found in nature, but the ability to taste this substance is closely connected to the ability of tasting other related bitter substances, which can be found in broccoli, cabbage, coffee, tonic and some beers. Are you interested to find out what tastes these foods have for you?

Your result: LESS INTENSIVE

There is an 80 percent chance that you do not perceive certain bitter tastes, because you are the carrier of two common variants of the TAS2R38 gene.

Recommendations

• Bitter substances, which you most likely do not taste, can be found in kale, radicchio, olives, coffee, tonic and some beers.

• Due to your genotype, some foods have a better taste to you compared to people, who detect the mentioned bitter substances more intensively.

• In case you wish to taste a more prominent bitter taste of the food, we advise that you cook it on higher temperatures or quickly sauté it on olive oil.

• In case bitter taste is unpleasant to you, you can tone it down by adding cottage cheese or creme fraiche.

• The taste in your mouth will additionally evolve, if you chew your food properly.



GENES HELP YOU LEARN ABOUT YOUR BODY'S METABOLISM

Our body, with the help of specific enzymes, processes or breaks down lactose, caffeine and alcohol after their consumption. This enables them to be used as nutrients, or prevents these substances from becoming harmful. If a certain enzyme does not function optimally, an inappropriate adaptation can lead to certain health problems.

Lactose intolerance is one of the well-known phenomena, where lactase, an enzyme which is responsible for the breaking down of milk sugar lactose, is lacking. In case of lactose intolerance, our organism cannot break down milk sugar, and lactose intolerant people have many problems, such as diarrhoea, bloating and vomiting, when eating dairy products. Among important processes are also the metabolism of alcohol and caffeine. For both of them, a slow and ineffective metabolism is problematic. In this chapter you will find out about your response to those substances and according to you genetic makeup, you will be given the most suitable recommendations.

THE EFFECTIVENESS OF YOUR METABOLISM

Alcohol metabolism Caffeine metabolism Lactose metabolism



Alcohol metabolism

Have you ever wondered why some people's faces become red and they experience headaches, nausea and increased heart rate after consuming the slightest amount of alcohol? Well, scientists have succeeded in clarifying this phenomenon on a molecular level. Namely, the reason for this is the defect of the gene which codes for the enzyme ALDH2. This enzyme is responsible for the breakdown of acetaldehyde – an intermediate product in ethanol metabolism, which is even more toxic than ethanol itself. In people with a defect of the ALDH2 gene, acetaldehyde accumulates, and this is the reason why they usually avoid drinking. Despite the fact that this defect is more characteristic of Asians, it does occur in other peoples as well.

Also enzyme ADH1 is important for alcohol metabolism as it is responsible for the first stage of the metabolism of ethanol into acetaldehyde. Researchers have discovered that a mutation can occur also in the genes that encode enzyme ADH1 and this influences greatly the efficiency of ethanol conversion. These mutations are actually not as defining as the one in the ALDH2 gene, but they still greatly determine alcohol sensitivity.

Your result: EFFECTIVE METABOLISM

Your genetic makeup determines an effective alcohol metabolism. Namely, you are the carrier of the most favourable genetic combination.

Recommendations

- Your genetic makeup determines that you don't experience any problems related to the accumulation of harmful substances from alcohol metabolism.
- When drinking alcohol in moderation, you do not get any typical signs such as blush redness of the face, headache, nausea or unpleasant itching and increased heart rate.
- We advise you to drink in moderation, because excessive alcohol drinking can have many negative consequences – medical and sociological ones.
- 1 dl of wine or 2 dl of beer per day is still recommendable, as it increases the levels of good (HDL) cholesterol. However, we do advise against higher amounts of alcohol.
- Despite an effective alcohol metabolism, we recommend that you avoid drinking alcohol during and after physical activity.

"It is well known that the French are not stingy when it comes to using fat in preparing their meals. They eat more butter, cheese and pork as Americans, however, their frequency of cardiovascular diseases is lower. Given that the French consume large amounts of red wine, this is believed to be their secret for success. Scientists have named this phenomenon the French paradox."

Mutation - a random change in the genetic code material. Deletions are mutations where nucleotides on a part of genetic material are erased (deleted), insertions, where there is an insertion of nucleotides on a part of genetic material, and substitution, where nucleotides are replaced with other nucleotides. **Enzyme** - a protein which is involved in chemical processes in the body.

Caffeine metabolism

Caffeine is a natural alkaloid, most commonly known as the main ingredient of coffee. It is metabolised in the liver by the enzyme, called CYP1A2. This enzyme is responsible for up to 95 percent of the entire caffeine metabolism, and it is, therefore, not surprising that a mutation in the CYP1A2 gene has an important influence on the enzyme activity and, consequently, the caffeine metabolism. People with one or two mutated copies of the CYP1A2 gene metabolise caffeine more slowly, and as a result, feel a greater effect of coffee. But this is not as favourable as it may seem, because these people have a higher blood pressure after drinking coffee than those with a rapid caffeine metabolism. Researchers have proven in many studies that people with slower caffeine metabolism are more susceptible to medical conditions related to increased blood pressure. We, therefore, recommend them to adjust the daily dose of caffeine accordingly.

The genetic analysis has shown that you are the carrier of two favourable copies of the CYP1A2 gene, and you, therefore metabolize caffeine rapidly. 52 percent of people have such a genetic makeup.

- body.



"A creeping plant originating in the Amazon,

Guarana, contains a substance guaranine,

which is almost identical to caffeine. Twice the

amount of guaranine is present in Guarana

in comparison to caffeine in coffee beans.

Guarana is a caffeine alternative in some

carbonated drinks and energy drinks."

Alkaloid - a basic unit, from which protein is built. Its formation is encoded in DNA with three sequential nucleotides, which in different combinations give different amino acids: GCU is the code for amino acid alanine, UGU for cysteine...



Your result: RAPID METABOLISM

Recommendations

• You are the carrier of a genotype that determines a rapid caffeine metabolism, which means that caffeine is guickly removed from your

• Because of your genotype, you are less susceptible to the risk for health complications related to increased blood pressure.

• Nevertheless, we recommend that you do not drink more than two cups of coffee a day.

• If you are an avid drinker of coffee, we recommend that you substitute it with a cup of black tea or a cup of decaffeinated coffee, which is even better.

• Caffeine is a diuretic, and, because of this, we recommend sufficient amounts of water which will help you replace lost fluid.

Lactose metabolism

Milk provides the first and most important nutritional ingredient for every baby and child. With the exception of lactose intolerant people it retains its nutritional value in the diet of adults as well. Lactose intolerant people, though, do not have the enzyme lactase which is responsible for the breakdown of milk sugar lactose, and this is why they have to limit milk consumption. The reason for the absence of the lactase enzyme is the gene MCM6, which is actually not functionally related to lactose metabolism, but it regulates the activity of the gene LCT (gene which encodes for the lactase enzyme) and it consequently determines whether we will have the lactase enzyme or not.

Lactose intolerant people experience the accumulation of lactose in their colon, where it is decomposed by intestinal bacteria. Various fats are formed, as well as gasses and other molecules. The consequences are diarrhoea, a bloated stomach and stomach cramps. We can also experience nausea or vomiting. These signs occur 15 minutes to 2 hours after the consumption of milk or dairy products, and they depend on the amount of lactose we consume, age and health condition.

Your result: EFFECTIVE METABOLISM

You are the carrier of one favourable and one unfavourable copy of the MCM6 gene. You genetic makeup determines a slightly lower amount of lactase enzyme, but still sufficient for effective metabolism of lactose. Approximately 37 percent of people have such a genetic makeup.

Recommendations

- Considering the results of the analysis, food, containing lactose, should not cause you problems.
- Your version of genes determines that you have enough of the lactase enzyme, and it is, therefore, unlikely that you are lactose intolerant.
- Eating dairy products is, from the point-of-view of the milk sugar metabolism, for you completely recommendable.
- Milk, yoghurt, kefir or whey are already, as such, very healthy, and we, therefore recommend them.

"According to some estimates, as much as 30 to 50 million Americans have lactose intolerance, most Asians, 60-80 percent of African Americans and 50-80 percent of Latinos. Lactose intolerance is the least common in indigenous peoples of northern Europe, where it occurs in around 2 percent of the population."



DETOXIFICATION OF YOUR BODY

YOUR GENES, DETOXIFICATION AND ANTIOXIDANTS

Selenium Vitamin E Oxidative stress

GENES CAN ALSO INFLUENCE YOUR PHYSICAL APPEARANCE

In this chapter your will learn about your selenium and vitamin E levels that are determined by your genetic makeup, and how effective the detoxification mechanisms of your body are. Harmful substances enter into our body daily through food, water and air and we desperately need mechanisms that are responsible for detoxification and removal of these substances from our systems. These mechanisms include specific enzymes that detoxify our body, and antioxidants that neutralise free radicals. The formation of free radicals is caused by radiation, cigarette smoke, various pollutants and countless other substances which our body can successfully detoxify with the help of appropriate enzymes. However, a mutation can occur in the genetic makeup of the enzymes, which is then expressed as ineffective detoxification of the above mentioned potentially harmful and toxic substances. In case of an ineffective enzyme function or the lack of a certain enzyme, we are largely exposed to the toxins from the environment, and we have to adapt accordingly.

Selenium

Selenium is one of the very important minerals, because it functions as an antioxidant in your body. It forms an uncommon amino acid, selenocysteine that is needed for the functioning of over twenty enzymes. One of the best known of them is selenoprotein P that has antioxidative properties characteristic also of other selenoproteins. Numerous studies show that a high selenium level in our body has a direct anticarcinogenic and overall protective effect on our health.

It has been discovered in a scientific research that two polymorphisms are present in the gene SEPP-1, which is responsible for selenium transport, and they influence the selenium levels in our body. Scientists have additionally discovered that the selenium level is also determined by our BMI. An unfavourable combination of the genetic makeup and the BMI can influence lower selenium lever for up to 24 mcg. In this case, an appropriate dietary adaptation is recommended.

Your result: HIGHER LEVEL

The genetic analysis has shown that you are the carrier of the variant of the SEPP-1 gene determining a higher selenium level in your body, which is favourable.

Recommendations

- Despite favourable genetic makeup, be careful because your selenium needs are determined by your BMI.
- Considering the fact that you are the carrier of a favourable genetic makeup, and your BMI is below 30, we recommend you to consume more than 30 mcg of selenium daily.
- In case your BMI increases above 30, we recommend consuming twice as much of selenium per day.
- Selenium is present in many foods, and, therefore, with a diverse choice of foods, you will fulfil your daily requirements.
- We recommend eating diverse foods from the group of cereals, fish and meat, where selenium is most present.
- · For a more detailed following of our recommendations we advise a continuous use of nutrition charts.

Useful information

Why we need it	An important antioxidant, immune system defence, detoxification
Consequences of its lack	Lack of energy, unhealthy skin, weakened immune system
Where is it found	Seafood, liver, cereal sprouts, bran, tuna, onion, broccoli, garlic, brown rice

"A typical sign of people who consume excessive amounts of selenium is a characteristic smell of garlic, even if the person did not consume any. By taking into account our recommendations this cannot occur, as the person would need to consume 100-times more selenium than the recommended value."

Vitamin E

"Vitamin E is present in eight different forms.

which differ in biological activity. The most

active and also the most common form of

vitamin E in the body is alpha-tocopherol. The

synthetic form of alpha-tocopherol is only

about half as active as the natural, therefore

it is needed to consume twice the amount for

the same effect."

Vitamin E, also known as tocopherol, is the most important representative of fat-soluble antioxidants. Its importance is illustrated by the fact that certain people lacking vitamin E, are more prone to chronic diseases, while people with a higher vitamin E level have less health problems and even slightly better physical abilities.

The scientists have started to ask themselves why differences in vitamin E levels among people even occur. They have discovered that the reason is not only food. Scientific research has proven that a favourable mutation can occur in the gene APOA5 increasing the vitamin E level. People with such a genetic makeup have already a higher vitamin E level to start with, and they, as a result, need a lower daily intake of vitamin E for an optimal state. People with a common variant of the APOA5 gene have to include foods with more vitamin E into their menus, in order to ensure an optimal state.

Your result: AVERAGE LEVEL

Your genetic makeup determines an average vitamin E level, but, in comparison to people with one or two favourable copies of the APOA5 gene, your vitamin E level is lower.

Useful information

Role

Cons

When

Antioxidants - substances which protect us from oxidative stress. Gene - Part of the DNA sequence that carries the information for the formation of protein. Genes are inherited from parents by their descendants, and give information, which is needed for the formation and development of an organism.

Antioxidants - substances which protect us from oxidative stress. Alkaloid - a basic unit, from which protein is built. Its formation is encoded in DNA with three sequential nucleotides, which in different combinations give different amino acids: GCU is the code for amino acid alanine, UGU for cysteine... Anticarcinogenic - prevents the development of cancer.

Recommendations

• You are the carrier of the most common genetic makeup, but this does not represent the most optimal result.

• We recommend you to consume 14 mg of vitamin E daily. This is a slightly higher intake than usual, which will enable an optimal vitamin É level in your body.

• We advise you to eat more vitamin E rich food. Plenty of vitamin E can be found in wheat sprouts and their oil, almonds, hazelnuts, potatoes and broad beans.

• With less than a teaspoon of wheat sprouts you already fulfil your daily requirements, and we are convinced that with an appropriate choice of foods you will easily fulfil your daily vitamin E requirements.

• Some of the vitamin E is lost with baking, roasting and sautéing, so your source of vitamin E should, predominantly, be fresh vegetables, nuts, seeds and quality oils.

• We recommend that you store foods in the dark, because vitamin E is sensitive to light.

• When shopping, read the food labels and be sure about the amount of vitamin E that a certain product contains.

	Protects against oxidative stress
quences of its lack	The build-up of free radicals
e is it found	Olive oil, wheat sprouts, cabbage, corn, soy, wheat, rice, avocado, olives, carrots, tomato, almonds

DETOXIFICATIO

Oxidative stress

Oxidative stress occurs as a consequence of an imbalance between the formation of free radicals and the ability of our body to neutralise them on time. Our body actually has many enzymes available for preventing oxidative stress. These enzymes are responsible for the protection against harmful environmental influences such as cigarette smoke, exhausts, smog, radiation, vapour of industrial solvents used for the production of plastic mass, medication etc. Two of the most important enzymes are quinone oxidoreductase and catalase. A mutation of DNA can occur in both genes, and this influences their functioning and our exposure to oxidative stress. We have analysed the sequences of the two mentioned genes, and determined, on the basis of the genetic makeup, to what extent you are exposed to oxidative stress.

Your result: HIGHER EXPOSURE

Your genetic makeup determines a normal enzyme quinone oxidoreductase level and a low activity of the catalase enzyme, manifesting in higher exposure to oxidative stress.

Recommendations

- Follow the recommendations of daily selenium and vitamin E intake, because you will reach better result than with excessive eating of only one antioxidant.
- We recommend at least 200 mg of vitamin C per day. Eat red beet and green pepper, kiwi, lemons, cranberries, strawberries, black currant or cabbage, where there is plenty of vitamin C.
- We recommend eating foods which contain plenty of coenzyme Q10, because it is an important antioxidant. It can be found, mostly, in meat (beef, chicken), fish (mackerel, sardines) and nuts.
- Opt for red and orange vegetables and fruit, because it contains a lot of beta carotene, which enables a better effect of antioxidants.
- Avoid smoking, because it enables additional formation of free radicals in our body.
- A group of substances, called flavonoids, for example, quercetin, epicatechin and oligomeric proanthocyanidins, are also among important antioxidants. They are found in green tea, citruses, ginkgo, wine and dark chocolate.

"Did you know that by storing fresh fruit its content of vitamin C is dropping? In cold stores its level drops by 50 percent and by keeping fruit in normal storage its contents in spring are by 2/3 lower than immediately after harvest. Thus it is best to consume raw fruits and vegetables to ensure we take in more of this antioxidant."

Free radicals - instable chemical substances, which harm the cell. **Enzyme** - a protein involved in chemical processes in the body. Its purpose is to reduce the activation energy required for chemical reactions and thus facilitating their course. This enables faster conversion of substrate to product, for example, conversion of starch into glucose.

SPORTS AND RECREATION

DISCOVER THE WORKOUT MOST SUITABLE FOR YOU

In this chapter we will reveal to you the sports activities that you can be good at on the basis of your muscle structure. You will learn to what extent you are prone to Achilles tendon injury, and how beneficial a certain type of training is for you. Physical activity affects our health generally positively, but certain sports activities are more beneficial for some than they are for others. Whenever we opt for a certain type of recreation with an intention to lose excess fat, and, therefore, lose weight, this factor becomes even more important. Scientific research has discovered that a certain type of recreation can benefit some people, while the influence of it on others can be less optimal, or can even affect the accumulation of fatty tissue. All this depends on our genetic makeup. And this is precisely why we can, with the help of your DNA analysis, recommend a type of recreation which suits you best, or we can advise you against a certain type of physical activity.

SPORTS AND RECREATION IN TUNE WITH YOUR GENES

Muscle structure Endurance training Achilles tendon

Muscle structure

Humans have two different types of muscles, type I and type II. Sprinters tend to have more type II muscles in their bodies – fast muscle fibres, or more active fibres, and long distance runners tend to have more effective type I muscles - slow muscle fibres.

A study by Australian scientists has included more than 400 top athletes divided into two groups. The first group included athletes from disciplines where mostly strength and speed are needed, and in the other group included those who required endurance. They discovered that, in the first group, people with two copies of a functioning ACTN3 gene prevailed, and, in the second group, people with two copies of a non-functioning ACTN3 gene prevailed. It has been, therefore, proven, that the mentioned gene determines the effectiveness of a specific type of muscle fibre. In addition to this gene, a mutation in the PPAR-alpha gene is also known. PPAR-alpha gene determines the representation of a specific type of muscle fibres in our body. By simultaneously analysing both genes it is possible to predict the activities that you are likely to be the most successful at.

Your result: AVERAGE STREGTH AND EXPLOSIVENESS OF MUSCLES

The variants of genes ACTN3 and PPAR-alpha determine an average strength and explosiveness of muscles, as well as muscle endurance.

"The human body has approximatelly 640 skeletal muscle. When walking, we don't even realize that more than 200 muscles are activated. The longest muscle in humans is the tailors muscle (musculus sartorius), which runs across the thigh; the smallest is the stapedius (musculus stapedius), which is located in the eardrum. It is a mere 1.27 millimetres long."

Recommendations

environment

55 %

- You are the carrier of a genotype which determines that your muscles are equally strong and explosive, as well as endurable.
- You are equally good at activities where endurance is needed, because you have more slowly-contracting muscle fibres, as well as at activities where strength and explosiveness are needed.
- We recommend regular physical activity with one of your favourite activities.
- If you cannot decide on one, we recommend the following activities: volleyball, basketball, football, Nordic walking, dancing, Pilates and cross-country skiing.

Genes vs. environment

genes

45 %

Endurance training

Endurance exercises consist of a long-term, moderate muscle resistance, where muscles contract slowly. It is known that it is possible to reduce our fat deposits with the help of physical activity based on endurance, and, at the same time, positively affect our health. However, such activities do not give the same results in all individuals. It has been proven with research that the answers lie mostly in our genetic code. In a research that we are referring to, they have studied how a specific mutation in our genetic code affects the efficiency of weight-loss with endurance training. Experts have prepared a 20-week intensive endurance training program, which has been performed using a stationary bike. They have acquired surprising results after the finished program, because women with a rare form of the gene have lost 2-times more fat deposits that those who did not have this form of the gene.

vou.

Your result: ADITIONAL BENEFIT

The analysis of the LPL gene has shown that you have one common and one rare copy of this gene present, which determines that endurance training is twice as beneficial for

Recommendations

 Regular physical activity is already in itself crucial for health and wellbeing. With it, you reduce the chance of cardiovascular problems, weak muscles, bones and joints.

• Endurance activities are especially recommended for you, because, with such recreation, you lose body fat twice as effectively, compared to people with two common copies of LPL gene.

• If you wish to lose some additional excess fat, and you do not know how to do it, we recommend running and cycling.

• In addition to running and cycling, there are also other activities that are in accordance with your muscle structure. Therefore, follow our recommendations in the "Muscle structure" analysis.

· Before starting an activity, do not forget about proper warm-up and stretching exercises.

> "To lose 1 kg of body weight only by physical activity, you would have to burn up to 7,000 calories. In 1 hour of cycling you spend 600-900 calories, which means that in order to reduce your body weight by 1 kg would require 8-12 hours of cycling. Some persistence is definitely necessary, right?"

Achilles tendon

Despite the fact that the Achilles tendon is the strongest tendon in our body, many serious athletes as well as recreationists have quite commonly problems with its overload. Problems occur with excessive and repetitive load which surpasses the tendon's ability of regeneration, and this leads to a state, called Achilles tendinopathy. It causes the Achilles tendon to become sore and swollen, with an accompanying reduced functioning of it. Injuries can occur when walking, running, or doing some other, more burdensome activity. The cause for Achilles tendinopathy is, in addition to training errors, also our genetic makeup, which determines the flexibility of the tendon. One of the genes responsible for the tendency for Achilles tendinopathy is gene MMP3. It has been proven that MMP3 determines a 2.5-times higher risk for Achilles tendon injuries, when represented in an unfavourable variant.

Your result: HIGHER TENDENCY FOR INJURY

You have two unfavourable copies of the MMP3 gene present, which determines a higher risk for Achilles tendinopathy. Approximately 17 percent of people have such a genetic makeup.

Recommendations

- Your genetic makeup determines that you are, compared to other people, more prone to Achilles tendinopathy, but you can greatly contribute against such problems.
- The most important is that before you start an activity, you give your attention to warming up and stretching and to slow increase of the intensity of training.
- It is also of great significance, that you choose sports shoes which are intended for the activity that you practise.
- We recommend exercises that are used for reducing the load on the tendon by lifting the heel.
- In case of a painful tendon, reduce the pain with walking and heat treatment (for example, a warm bath).

"The term Achilles tendon comes from the Greek legend of Achilles. As a baby his mother sank into the river, which would make him invulnerable. Since she held him by his heel, it did not become wet, which left him vulnerable at the spot. In one of the battles of the Trojan War, Paris shot him straight into the heel, and Achilles was defeated."

GENETICALLY DETERMINED ADDICTIONS AND AGEING

GENETICALLY DETERMINED ADDICTIONS AND AGEING

Nicotine addiction Alcohol addiction Biological ageing

YOU CAN INFLUENCE ADDICTION AND AGEING

In this chapter you will learn about how susceptible you are to nicotine and alcohol addiction. We will also reveal your rate of aging in comparison to the average population, and whether your genetic makeup determines that a change of lifestyle is important for you.

What is lifestyle, anyway? Lifestyle is a concept which had been established already in the 1929 by an Austrian psychologist Alfred Adler. With this concept, we describe our way of life, or our habits. It is generally known that smoking, alcohol drinking, inappropriate diet and lack of physical inactivity point on an unhealthy lifestyle and are the cause for many health problems. In case we are prone to nicotine or alcohol addiction, it is highly recommended to preventively avoid such habits, as the possibility of addiction is higher. Excessive alcohol drinking and cigarette smoke additionally influence our ageing process, and, in case you have unfavourable genes which determine a higher rate of ageing, we recommend limiting alcohol and giving up smoking.

Nicotine addiction

Smoking is proven to be the cause of countless serious medical conditions, which can also be related to a premature death. It is enough to mention that every tenth person (or half of regular smokers in the world) dies because of consequences of smoking. Despite this fact, smoking remains a habit that very few people give up. World Health Organisation estimates, that a year after having their last cigarette, less than 5 percent of people, who have guit smoking without help, remain non-smokers. Smoking causes psychological addiction, and nicotine is the compound responsible for it. It binds with special receptors in the brain, and it causes a feeling of comfort and pleasure. These receptors slightly differ among people, and the mentioned binding is not the same in all people. This is why some people are more addicted to nicotine and some less. Researchers have discovered that a mutation in the gene CHRNA3 does not influence the beginning of smoking, but it influences the number of smoked cigarettes and causes a greater addiction to nicotine. This is why people with a mutated CHRNA3 gene find it harder to stop smoking.

Your result: AVERAGE RISK FOR ADDICTION

You are the carrier of one favourable and one unfavourable copy of the CHRNA3 gene, which determines an average risk for nicotine addiction. Approximately 47 percent of people have such a genetic makeup.

Recommendations

- In case you are not a smoker, we strongly advise you against experimenting, as you are more prone to smoking addiction than people with a favourable genetic makeup.
- In case you are a smoker, you have a slightly higher risk for becoming addicted to nicotine, compared to people with two favourable copies of the CHRNA3 gene, and will find it harder to give up smoking.
- If you feel a strong urge for a cigarette, or you miss holding one, always have two things with you: a chewing gum, a cell phone or a pen.
- Leave cigarettes in your car and practice "forgetting" your cigarettes at home.
- Be physically active physical activity actually reduces the urge for a cigarette.
- Use a trick every day, smoke your first cigarette an hour later.
- Do not let your genotype be an excuse. A strong will and desire are still the most important factors in giving up smoking.

Genes vs. environment

"Some smokers continue smoking because they are afraid that they will gain weight if they quit smoking. The weight of smokers on average is as much as 4-5 kg lower than of non-smokers. It is true that the majority gains weight in the first year after they quit smoking, but most often only to the averages of non-smokers."

Alcohol addiction

Alcohol addiction is a serious health problem, and, at the same time, a well-studied area for which genetic material is well-known to have an influence on. Alcohol addiction is expressed in behavioural and psychological problems. An individual continues to turn to alcohol, even though it is starting to visibly affect his physical and mental health. On the basis of a lot of research we can say that our genetic makeup determines approximately 65 percent of our tendency for alcohol addiction. This research is based mainly on twin studies and numerous family studies, where it turned out that the tendency for alcohol addiction is passed down from generation to generation. On a molecular level, the basics of alcohol addiction are extremely complicated, because the occurrence is influenced by several genes, where every gene has a slight influence. We have included in your analysis the genes which were proven by many studies to have a strong influence on alcohol addiction.

"In Europe, alcohol is the third leading cause of premature death and overall mortality. According to recent data from the World Health Organization, if we calculate the pure alcohol consumption per person aged over 15 years, Moldovans and Czechs drink the most."

- Your genetic makeup is one of the most favourable ones, as it determines a lower risk for alcohol addiction.
- However, this does not mean that your genes entirely protect you against alcohol addiction. The most important are your will and determination not to excessively drink alcohol.
- Your social surroundings also have an important role. It is vital that you are aware of the consequences of excessive alcohol drinking, and you do not succumb to situations which would lead you to alcohol addiction.
- Drinking small amounts of alcohol (1dl of red wine) can be beneficial for your health, because it affects the increase of HDL cholesterol in the blood. However, be careful and do not exaggerate in the amount of alcohol you drink.

Genetic code - is a general term, which is usually a synonym for genotype, or form of the DNA gene sequence. However, the term can refer also to the region of the genome, where the gene is not present.

Your result: LOWER RISK FOR ADDICTION

You have favourable genes present, which determine a lower risk for alcohol addiction.

Recommendations

Biological ageing

We differentiate two types of ageing, chronological and biological. In chronological sense, we are as old as our years of age, while biological ageing is the ageing of our body. It is about determining if our body looks according to its age. For example, when saying to 70-year old, that we would never think him to be as old, we actually say that, from a biological standpoint, this person looks younger.

The molecular cause for ageing is in the length of structure, called telomeres. They are the endings of our chromosomes consisting of a repetitive DNA sequence (TTAGGG). In the course of our lives, these telomeres become shorter, and this causes us to age. The rate of the shortening of telomeres depends on numerous environmental factors, as well as on the variant of the gene TERC. It has turned out that a mutation in the DNA sequence can occur. This manifests in shorter telomeres and, in average, a 3-4 years higher biological age of an individual with mutated copy of the gene.

Your result: SLOWER AGEING

Two favourable copies of the TERC gene determine a slower biological ageing. Approximately 53 percent of people have such a genetic makeup.

Recommendations

- Your ageing is slower, compared to other people, but it is important to know that the ageing process is not determined only by the genes, as the actual state depends also on various environmental factors and bad habits.
- The rate of your ageing is, apart from your genes, an expression of your lifestyle, bad habits and diet.
- By strictly following our recommendations you will, undoubtedly, support your favourable genetic makeup and enable a healthy appearance of your body.
- To summarise: we recommend activities in the fresh air, avoiding stress, positive attitude towards yourself and the environment, and, especially, following our advice.

Genes vs. environment

"Did you know that on average women live longer than men? Women have an advantage because of the hormone estradiol, which is a physiological antioxidant and acts as natural protection. In men, testosterone does not have this protective function, therefore, they are more susceptible to harmful elements from the environment."

Chromosome - a stick-like form of DNA molecule, where there are present hundreds or thousands of genes. In the nucleus, there are 22 autosomal chromosome pairs, and 2 sexual chromosomes. In addition to the molecules of DNA, there are also proteins (mostly histones) present, around which the DNA is coiled. Such coiling and further formation results in a tightly formed chromosome, which takes up less space than an uncoiled molecule.

GENETICALLY DETERMINED ADDICTIONS AND AGEING

More on excess weight and body mass index

We define the appropriateness of body weight with the body mass index (BMI), which has been established in the 19th Century by a Belgian statistician Lambert Adolphe Jacques Quételet. It is calculated by dividing a person's body weight in kilograms by the square of the person's height in metres. An optimal BMI of an individual is in the area between 18.5 and 24.9 kg/m². People with such a BMI are said to have a healthy body weight. A BMI lower than 18.5 kg/m² is an indicator of malnourishment, and obesity is defined with a BMI higher than 30 kg/m². The definition of obesity is not appropriate for two groups of people. In the first group, there are those with a high muscle mass, and this is the reason why their BMI is higher than 30 kg/m². And in the second group, there are older people, who can have BMI lower than 30 kg/m², because of rapid loss of muscle mass which is replaced by fatty tissue, but are still overweight.

According to the data of World Health Organisation (WHO), in 2005, approximately 1.6 billion people were overweight and 400 million were obese. In the USA, 61 percent of people were overweight and 20.9 percent were obese. As a result, WHO has defined obesity already in 1997 as a chronic metabolic disease, and short after named it as an epidemic, that threatens the whole world. The definition is supported by a piece of information which shows that, in western European countries, 2 to 8 percent of all health expenses are dedicated to treating obesity.

The state of being overweight is caused by an imbalance between the intake and the use of energy, lack of physical activity and genetic background. When we consume more calories than we daily expend, the excess generally accumulates in the form of fats. Fats are deposited in our fat cells, which start to grow and multiply. In order to reduce our body mass we, therefore, need to burn more calories than we consume. Energy consumption largely depends on the so-called basal metabolism – basic metabolism. It is the smallest amount of energy, which is daily necessary for a normal upkeep of basic life activities of our organism. People who are overweight have a lower basal metabolism rate and require daily a lower energy intake. Basal metabolism largely depends on our genetic makeup. It has been shown that there is an 80 percent probability that children of obese parents will also become obese. Scientists have discovered that our genetic makeup determines 60 percent of our final body weight, and the rest depends on other factors of life. It is important to bear in mind that environmental factors are mostly the ones that determine whether obesity will develop or not.

Giving up bad eating habits is the first and, at the same time, most crucial measure for reducing excess body weight. Also numerous food supplements, which regulate the processes of lipolysis and thermogenesis, can be of great assistance in achieving the desired results. These food supplements influence the increase of heat processes which need energy – the result is the increased burn of fatty deposits.

More on cholesterol and fat metabolism

Cholesterol is a white-yellowish substance similar to fats. Triglycerides are molecules, built of three fatty acids bound on glycerol. All foods of animal origin contain cholesterol, while there is no cholesterol in foods of plant origin. It is the basic constituent of all the cells in our body, and sexual and adrenal hormones are formed from it, as well as vitamin D and gall acids. Since we usually do not have problems with the lack of it, a lower cholesterol level is generally more favourable. A desired general cholesterol level is less than 5 mmol/L, but even more important is the ratio between the bad LDL and the good HDL cholesterol, which should not be lower than 4:1, or for genetically and environmentally more challenged people, 3:1. It is true that 80 percent of cholesterol is produced by the body, while the cholesterol from food represents 20 percent of the entire amount of cholesterol. In healthy people, with the intake of cholesterol with food, its production in the body usually decreases. In people with an unfavourable genetic makeup this regulation is not optimal, and it can cause an increase of LDL cholesterol as well as the level of triglycerides.

The cholesterol and triglyceride metabolism is quite complicated. They are water insoluble molecules, and, after ingestion, they bind with substances, called lipoproteins, in the intestinal villi, in order to enter the blood stream. In the meantime, cholesterol, which is produced by the body in the liver, binds with particles, known as VLDL, and also enters the blood stream. From the VLDL complexes, free fatty acids start to detach and enter fat cells where they are transformed back into triglycerides. This way, we get particles, known as IDL, which further lose triglycerides and we get LDL. In everyday life, we normally mention only LDL and HDL. LDL particles contain few triglycerides and are rich in esterified cholesterol (cholesterol bound with fatty acids) and they represent a huge container of cholesterol for the synthesis of steroids, membranes and gall acids. LDL particles transport up to two thirds of cholesterol, known also as harmful cholesterol, around the body, even though it is not necessary for the optimal functioning of the body. They transport it from liver to other parts of the body. HDL particles, however, do just the opposite. They transport the cholesterol in the opposite direction; they eliminate it from the blood stream and return it to the liver, where a greater part of it is excreted in the form of gall acids. The majority of it is again absorbed into the liver and then into the blood. This process is called " enterohepatic circulation". HDL, therefore, protects the cells of the vascular wall, inhibits the oxidation of LDL cholesterol and prevents clumping of blood platelets – thrombocytes, which accumulate at the site of a damaged vascular wall. Because of this function, it has acquired names such as good, beneficial and protective cholesterol. If the LDL cholesterol concentration overly increases or the HDL cholesterol concentration overly decreases, we risk cardiovascular and coronary disease, such as angina pectoris, heart attack, brain stroke, leg artery disease, etc. The problem is also the oxidation of LDL cholesterol which is encouraged by bad habits, which can lead to cardiovascular disease. Hence it is crucial for our health to pay attention to our diet, exercise and do not succumb to bad habits such as alcohol drinking and smoking.

More on blood sugar

Carbohydrates are part of a large group of molecules, which represent the main energy source for our organism. After consumption, our body breaks down complex carbohydrates, or tries to break them down into the simplest ones, the monosaccharides. Our body turns most of sugars into glucose, and our cells can use them as a basic source of energy. Only then are the molecules small enough to enter our blood stream. An exception are fibres, which are built in such a way that our body cannot break them down to monosaccharides, and they, therefore, pass the intestinal tract intact. However, it is generally true, that our body breaks down consumed carbohydrates into glucose, which then enters the bloodstream. The result is the increase of blood sugar, and special cells start to secrete insulin. This is a sign that cells have to accept sugar from the blood, and that blood sugar supplies have to stop entering the blood stream. Slowly, the blood sugar level drops to its initial level. An adequate regulation ensures that the blood sugar level does not increase too much, and that it quickly drops to the basic level, and that it is always available. In some people, this regulation is not adequate. In countless research, scientists have discovered that, due to mutations in the genetic makeup, two types of abnormalities occur:

- The body does not produce enough insulin, and the blood sugar level drops to an appropriate level more slowly.
- Cells are less sensitive to insulin, and liver cells, therefore, despite the fact that glucose and insulin concentration increases sufficiently, does not cease to secrete glucose supplies.

All this can lead to a permanently increased blood sugar level and, consequently, to diabetes. This risk can effectively be reduced with an appropriate diet and lifestyle.

An exception is the metabolism of a monosaccharide fructose, which is carried out differently. Fructose, as opposed to glucose, does not influence the increase of blood sugar level, because it does not need insulin for its metabolism – this is why, in small amounts, it is allowed also for diabetics. However, exaggerating with fructose is far from healthy, because its metabolism is similar to that of fats. Nowadays, in America, fructose is one of the main reasons for increased LDL cholesterol and triglyceride levels, as well as a decreased HDL cholesterol level and unresponsiveness to insulin. The majority of fructose is consumed as an added sweetener to various food products, and it is, therefore, wise to read food labels (where possible) and choose foods without added sugars.

More on vitamins

Vitamins, together with minerals, belong to a group of micronutrients. Despite the fact that we need them in very small amounts, they are absolutely vital for the functioning of our body. Most vitamins cannot be synthesized by our body. An exception are some vitamins of the B-complex, which are produced by our intestinal bacteria, and transformations of inactive to active form (for example, beta carotene can be transformed into active vitamin A). Vitamins are not a source of energy, but they are key co-factors which help the enzymes in an array of different metabolic reactions and biochemical organisms. Most enzymes actually cannot function without the help of vitamins. Vitamins can be divide into water-soluble (B, C) and fat-soluble (A, D, E, K). Water-soluble vitamins are usually not stored in the body in large quantities and are quickly lost in the process of storing, processing and preparing foods. For a sufficient intake of water-soluble vitamins, it is recommended to eat whole wheat, unprocessed and fresh foods. Fat-soluble vitamins, however, can be found in fatty parts of animal as well as vegetable food. These vitamins accumulate in the body. Therefore, in the case of vitamins A, D, E, and K, there can be an excess intake of them.

More on minerals

Most of minerals have the role of co-factors, and they are, therefore, vital for enzyme activity and the regulation of the chemical balance. They are important for the formation of different hormones and other key molecules in the body. It is precisely the minerals that ensure the strength of teeth and bones. They are important for an appropriate heart and kidney function, as well as the transmission of nervous impulses. Considering our daily mineral requirements, we divide them into two groups. Calcium, phosphorus and magnesium, which are the main constituents of bones, and sodium and potassium, which regulate the balance of the water in the body, are all macrominerals. Daily, we require relatively high amounts of them – from 50 to 3000 mg. Elements that our body requires only in traces (from 30 mcg to 50 mg) are microminerals: iron, zinc, manganese, copper, chrome and selenium. Despite the fact that we require so little of them, they are indispensable, as our body cannot function without them. We consume them either directly with plants or with the meat of animal that are herbivorous. The sources of minerals are actually plants that have the ability to incorporate them from the soil. Nowadays, the lack of minerals is common for many reasons. Firstly, the amount of minerals in crops is decreasing because of soil impoverishment, which is the result of intensive farming techniques. Intensively grown plants grow quickly, have higher water content and incorporate fewer minerals than non-intensively grown plant. Secondly, there is less minerals in food because of the processing and preparing of food. Refined cereals and sugars, compared to whole wheat cereals, contain only a few percent of minerals. And, last but not least, we are exposed to more harmful substances and nutritionally poor food which depletes our body and, as a consequence, our requirements of minerals are often increased.

More on muscle structure

We know fast and slowly twitch muscle fibres. These two types of fibres differ in structure as well as their functioning. Slow muscle fibres produce energy mostly with cell respiration, and their main energy source are fats. They do not fatigue so easily, and are red coloured, because of the substance, called myoglobin. Fast muscle fibres, however, are rich in glycogene, and their energy source are not fats, but basic constituents, glucose and creatine phosphate. There can be a lack of oxygen in them, and lactic acid starts to form, making the muscles become tired.

While studying neuromuscular disease, Australian scientists have started to pay attention to the alpha-actinin (ACTN₃) gene, the product of which is important for muscle cell contraction. They have discovered that the product of this gene is present only in fast muscle fibres. They have identified a mutation which causes the product of this gene to become inactive, and, therefore, ACTN₃ is in such people absent. In the research, which included top athletes, they have discovered that sprinters mostly have two active copies of the ACTN₃ gene, while long distance runners have two inactive variants of the gene. They have, thereby, proven the hypothesis that an active ACTN₃ gene is required for the explosiveness of muscles. In a second research, the scientists have proven that fast twitch muscle fibres, in which the ACTN₃ gene is inactive, use more oxygen than those that have at least one active copy of the gene present. A greater need for oxygen slows down the muscles. Muscle fibres with an inactive ACTN₃ gene are supposedly weaker and smaller, but they also become fatigued much later.

PPAR alpha is also a known gene, for which scientists have claimed that it is more active in slow muscle fibres, which is logical, considering its function. Namely, PPFAR alpha regulates the activity of genes, responsible for oxidation of fats. Endurance training actually increases the consumption of fats and, through activity of the PPAR alpha gene, increases the oxidative capacity of muscles. Because of its role in regulating the activity of numerous genes which encode muscle enzymes, involved in the oxidation of fats, PPAR alpha is probably an important component of the adaptive response to endurance training. In this gene, there is a known mutation which influences the gene's activity and even influences the ratio of fast and slow twitch muscle fibres in our body. A changed sequence of the gene influences a lower activity of the PPAR alpha gene in slow twitch muscle fibres, and causes that the percentage of slow muscle fibres in our body decreases, while percentage of fast muscle fibres increases. A mutated variant of the gene is present mostly in athletes who, for their disciplines, need strength and explosiveness.

More on caffeine

Caffeine belongs to alkaloids, and its chemical name is 1,3,7-trimethylxanthine. In its pure form it is a crystalline powder that has a slightly sour taste. It can be found in more than 60 plant species, in different parts of plants: coffee and coca beans, specific types of hazelnuts and in tea leaves, where it forms complexes, together with tannins. It is a mild stimulant, which stimulates the entire nervous system and the heart, and, in addition, functions as a weak diuretic – it accelerates the excretion of urine. It also has a psychological effect (excitation, unrest, better well-being), as well as a physiological one (increased alertness and concentration, reduced fatigue, increases metabolism, increases blood pressure). A cup of coffee contains approximately 200 mg of caffeine, a cup of tea approximately 80 mg of tein, and "coca-cola" somewhere from 40 to 70 mg of caffeine. High doses can cause unpleasant side-effects such as unrest, trembling, and problems with blood pressure. A cup of coffee a day is supposedly appropriate for all people, or does not seem to have a negative effect on health.

Caffeine absorbs into the blood approximately 5 minutes after the consumption of coffee. The final effect is visible already after 30 minutes, and it lasts for hours. Caffeine does not accumulate in the body, but it is degraded and excreted from the organism within 24 hours. Caffeine is metabolized in the liver by an initial dimethylation process through an enzyme, called cytochrome P4501A2 (CYP1A2). The mentioned enzyme is responsible for 95 percent of caffeine metabolism. A high functional variability is characteristic of this enzyme, which is, among other, a result of differences in our genetic makeup. Genetic mutations importantly influence the efficiency of its functioning and greatly determine the rate of an individual's caffeine metabolism, which can be measured by determining the ratio of plasma (or urinary) caffeine, and the amount of metabolic products of caffeine after consuming a certain amount of coffee.

Absorption: taking in, ingestion

Allele: one of the forms of genetic material on a specific part of the chromosome. An individual has a chromosome pair where there are two alleles, which can be identical or not, and this is called homozygosis or heterozygosis. Different alleles in a human population can be the reason for inherited characteristics, such as blood type or hair colour.

Alkaloid: a basic unit, from which protein is built. Its formation is encoded in DNA with three sequential nucleotides, which in different combinations give different amino acids: GCU is the code for amino acid alanine, UGU for cysteine...

Anticarcinogenic: prevents the development of cancer.

Antioxidants: substances which protect us from oxidative stress.

Artery: a blood vessel that carries blood away from the heart. The main artery is the aorta.

Cell respiration: a basic process where energy, carbon dioxide and water are formed from glucose and oxygen.

Tannin: is a bitter plant polyphenolic compound

Detoxification: the process of removing harmful substances

Diabetes: a chronic state in which pancreatic cells do not produce enough insulin or the body cannot effectively use the produced insulin.

Dimethylation: the addition of two methyl compounds.

DNA: a molecule, found in the cell nucleus, which carries the instructions for the development of an organism. Human DNA is encoded by three different nucleotides and has the shape of a double coil. This means that two chains of DNA, which are anti-parallel and coil around one another. Anti-parallel means that the nucleotide C is always paired with G, and A always with T.

Enzyme: a protein involved in chemical processes in the body. Its purpose is to reduce the activation energy required for chemical reactions and thus facilitating their course. This enables faster conversion of substrate to product, for example, conversion of starch into glucose.

Essential fats: plant fats, necessary for our body.

Phenotypical characteristic: a visible characteristic of an individual, such as, for example, eye colour.

Gene: Part of the DNA sequence that carries the information for the formation of protein. Genes are inherited from parents by their descendants, and give information, which is needed for the formation and development of an organism.

Genetic analysis: revision, or the analysis of your genes.

Genome: the entire DNA which is present in the cell nucleus, and includes all the autosomal chromosomes, and both sexual chromosomes.

Genotype: allele forms of a gene, present in an individual. Genotype can represent all of the alleles in a cell, but mostly it is used for describing one or more genes, which together influence a certain characteristic.

Genetic code: is a general term, which is usually a synonym for genotype, or form of the DNA gene sequence. However, the term can refer also to the region of the genome, where the gene is not present.

Genetic risk: risk for, for example, excess body weight, lack of a vitamin or a mineral, which is determined by your genes.

Glycemic index: it shows the increase of blood sugar level, caused by certain food (it does not consider the amount of food).

Glycemic load: it shows the increase of blood sugar level, caused by certain food. (it considers the amount of food).

Glycogen: the basic form of glucose storage in our body.

Glucose: the basic representative of carbohydrates. We also call it blood sugar.

HDL cholesterol: good cholesterol. A desired level should be as high as possible.

Hypothalamus: is cherry-size part in the middle of the brain, and it is the centre off all information concerning endocrine hormones.

IDL: intermediate density lipoproteins that are formed in the process of breaking down of VLDL.

Insulin: a hormone that regulates blood sugar level.

Insulin resistance: the state of our body being irresponsive to insulin, the hormone that regulates blood sugar level.

BMI: body mass index. The ratio of body mass and square body height (kg/m²).

Caucasians: term, generally used in scientific articles for members of the white race.

Kcal: kilo calorie, in lay terms, simply calories.

Cofactor: non-protein compound, bound on a protein, and is necessary protein's biological activity.

Complex carbohydrates: compound carbohydrates, which are slowly digested by the body, and energy is provided for a long time, which makes us feel satiety longer. The increase of blood sugar level is slow, and not rapid, as in simple carbohydrates.

Creatine phosphate: a high-energy molecule, which is a source of energy for the muscle.

Chromosome: a stick-like form of DNA molecule, where there are present hundreds or thousands of genes. In the nucleus, there are 22 autosomal chromosome pairs, and 2 sexual chromosomes. In addition to the molecules of DNA, there are also proteins (mostly histones) present, around which the DNA is coiled. Such coiling and further formation results in a tightly formed chromosome, which takes up less space than an uncoiled molecule.

Chromosome (autosomal): a chromosome, where both in the chromosomal pair are similar. One chromosome out of the pair is given to an individual by his father and the other chromosome from his mother.

Chromosome (sex): there are chromosomes X (female) and Y (male). Women have a pair of two X chromosomes (XX) and men have an X and Y chromosome (XY), from which Y is inherited only from the father. Its presence/absence determines the sex of the child.

Lactose: milk sugar, consisting of glucose and galactose.

LDL cholesterol: harmful for our health and this is why its level should be as low as possible.

Lipolysis: the process of fat metabolism.

Lipoprotein particles: Bind cholesterol and transport it through the body.

Macronutrient: carbohydrates, proteins and fats (saturated, monounsaturated, polyunsaturated) are part of this group

Fats: important constituents and an energy source, which contains twice the amount of energy of carbohydrates or proteins.

Metabolism: process of the breakdown, or formation of new substances in the body.

Hydrogenised fats: are trans fats, which are formed with heating of plant oils on high temperatures.

Cholymicron: it helps cholesterol in passing through the intestinal mucus, and it contains a minimal amount of cholesterol and triglycerides.

Food (100 g)	Food (general portion)	Calories	Proteins	Saturated fat	Monoun- saturated fats	Polyun- saturated fats	Carbohy- drates	Choles- terol	B12
CEREALS AND STAR	CHY FOODS								
Amaranth	half a cup	368	14,6 g	2,14 g	2,14 g	4,11 g	56,8 g	o mg	0,0 mcg
Amaranth, cooked	5 tablespoons	102	3,8 g	0,00 g	0,00 g	0,00 g	18,7 g	o mg	o,o mcg
Instant corn polenta	half a cup	360	6,6 g	0,00 g	0,00 g	0,00 g	79,4 g	o mg	o,o mcg
Barley	half a cup	333	8,5 g	0,53 g	0,25 g	1,26 g	66,7 g	o mg	o,o mcg
Barley, cooked	5 tablespoons	123	2,3 g	0,09 g	0,06 g	0,21 g	28,2 g	o mg	o,o mcg
Barley flakes or flour	3 tablespoons	345	10,5 g	0,34 g	0,21 g	0,77 g	74,5 g	o mg	o,o mcg
Khorasan wheat	half a cup	337	14,7 g	0,19 g	0,21 g	0,62 g	70,4 g	o mg	o,o mcg
Khorasan wheat, cooked	5 tablespoons	146	6,5 g	0,00 g	0,00 g	0,00 g	30,5 g	o mg	o,o mcg
Oat flakes	4 tablespoons	362	11,7 g	1,24 g	2,79 g	2,55 g	58,7 g	o mg	o,o mcg
Corn flakes	3/4 a cup	379	5,6 g	0,51 g	0,95 g	1,64 g	85,2 g	o mg	o,o mcg
Coconut flakes	1 cup	660	6,9 g	57,22 g	2,75 g	0,71 g	23,7 g	o mg	o,o mcg
Potato, cooked	1 big potato	104	5,5 g	0,03 g	0,00 g	0,04 g	20,0 g	o mg	0,0 mcg
Potato, baked	1 big potato	108	2,1 g	0,14 g	0,95 g	0,56 g	20,7 g	o mg	0,0 mcg
Bread, buckwheat	2 pieces	256	7,9 g	0,34 g	0,62 g	0,50 g	51,4 g	o mg	o,o mcg
Bread, white	2 pieces	213	5,8 g	0,72 g	0,68 g	1,35 g	45,0 g	o mg	0,0 mcg
Bread, corn	2 pieces	208	5,7 g	1,55 g	1,83 g	3,21 g	43,5 g	o mg	0,0 mcg
Bread, oat	2 pieces	269	8,2 g	0,70 g	1,58 g	1,70 g	48,5 g	o mg	o,o mcg
Bread, spelt	2 pieces	333	12,0 g	0,24 g	0,54 g	1,18 g	65,7 g	o mg	0,0 mcg
Bread, rye	2 pieces	222	7,0 g	0,63 g	1,31 g	0,80 g	45,8 g	o mg	o,o mcg
Macaroni, plain, cooked	3/4 a cup	158	5,8 g	0,18 g	0,13 g	0,32 g	30,9 g	o mg	0,0 mcg
Macaroni, whole wheat	3/4 a cup	124	5,3 g	0,10 g	0,08 g	0,21 g	26,5 g	o mg	0,0 mcg
Spelt	5 tablespoons	320	10,8 g	0,00 g	0,00 g	0,00 g	63,2 g	o mg	0,0 mcg
Wheat, plain	half a cup	304	11,4 g	0,31 g	0,19 g	0,82 g	59,5 g	o mg	o,o mcg
Wheat germ	1 cup	314	26,6 g	1,26 g	1,16 g	4,01 g	30,6 g	o mg	o,o mcg
Rice, white	half a cup	360	6,6 g	0,16 g	0,18 g	0,16 g	79,3 g	o mg	o,o mcg
Rice, brown	half a cup	362	7,5 g	0,54 g	0,97 g	0,96 g	76,2 g	o mg	o,o mcg
Rice bran	1 cup	316	13,4 g	4,17 g	7,55 g	7,46 g	49,7 g	o mg	o,o mcg
Spaghetti, plain, cooked	3/4 a cup	158	5,8 g	0,18 g	0,13 g	0,32 g	30,9 g	o mg	o,o mcg
Spaghetti, whole wheat	3/4 a cup	124	5,3 g	0,10 g	0,08 g	0,21 g	26,5 g	o mg	o,o mcg
Tofu	1 slice	271	17,2 g	2,92 g	4,46 g	11,39 g	10,5 g	o mg	o,o mcg

В9	B6	D	E	C	Iron	Potassium	Selenium	Calcium	Magne- sium	Mangan	Sodium
CEREAL	S AND ST	ARCHY F	OODS								
82 mcg	591 mcg	o,o mcg	1,19 mg	4 mg	9,0 mg	484 mg	18,7 mcg	214 mg	308 mg	3000 mcg	26 mg
22 mcg	113 mcg	o,o mcg	0,19 mg	o mg	2,1 mg	135 mg	5,5 mcg	47 mg	65 mg	854 mcg	6 mg
o mcg	o mcg	o,o mcg	0,00 mg	o mg	0,0 mg	o mg	0,0 mcg	o mg	o mg	o mcg	o mg
65 mcg	560 mcg	0,0 mcg	0,31 mg	o mg	2,8 mg	444 mg	4 mg 7,0 mcg 38 mg 114 mg		114 mg	1400 mcg	18 mg
16 mcg	115 mcg	0,0 mcg	0,01 mg	o mg	1,3 mg	93 mg	8,6 mcg	ncg 11 mg 22 mg		259 mcg	3 mg
8 mcg	396 mcg	0,0 mcg	0,75 mg	o mg	2,7 mg	309 mg	mg 37,0 mcg 32 mg 96 mg		96 mg	1030 mcg	4 mg
o mcg	225 mcg	0,0 mcg	0,60 mg	o mg	4,4 mg	446 mg	446 mg 63,3 mcg 24 mg 134 mg		134 mg	2860 mcg	6 mg
12 mcg	83 mcg	0,0 mcg	0,00 mg	o mg	2,0 mg	202 mg	0,0 mcg	10 mg	56 mg	5600 mcg	6 mg
87 mcg	160 mcg	0,0 mcg	0,80 mg	o mg	4 mg 9,0 mg 484 mg 18,7 mcg 214 mg 308 mg 300 mg 0 mg 2,1 mg 135 mg 5,5 mcg 47 mg 65 mg 854 mg 0 mg 0,0 mg 0 mg 0,0 mcg 0 mg 2,7 mg 309 mg 37,0 mcg 32 mg 96 mg 1030 m 0 mg 2,7 mg 309 mg 37,0 mcg 32 mg 96 mg 1030 m 0 mg 2,0 mg 202 mg 0,0 mcg 10 mg 56 mg 56 or m 0 mg 2,0 mg 202 mg 0,0 mcg 10 mg 56 mg 56 or m 0 mg 0,9 mg 397 mg 9,7 mcg 43 mg 130 mg 450 or m 0 mg 0,3 mg 255 mg 0,3 mcg 11 mg 16 mg 140 mc 12 mg 0,6 mg 533 mg 0,6 mcg 10 mg 25 mg 185 mc <td< td=""><td>4500 mcg</td><td>7 mg</td></td<>			4500 mcg	7 mg		
25 mcg	304 mcg	0,0 mcg	0,42 mg	o mg	3,5 mg	287 mg	15,5 mcg	6 mg	127 mg	500 mcg	35 mg
9 mcg	300 mcg	0,0 mcg	0,44 mg	2 mg	3,3 mg 543 mg 18,5 mcg 26 mg 90 mg 275		2750 mcg	37 mg			
9 mcg	269 mcg	o,o mcg	0,01 mg	7 mg	0,3 mg	255 mg	0,3 mcg	11 mg	16 mg	140 mcg	5 mg
37 mcg	207 mcg	o,o mcg	0,35 mg	12 mg	0,6 mg	533 mg	533 mg 0,6 mcg 10 mg 26 mg		26 mg	185 mcg	134 mg
43 mcg	332 mcg	o,o mcg	0,22 mg	1 mg	1,3 mg	166 mg	2,5 mcg	19 mg	95 mg	956 mcg	57 mg
2 mcg	84 mcg	o,o mcg	0,22 mg	o mg	3,7 mg	100 mg	17,3 mcg	g 151 mg 23 mg		478 mcg	681 mg
77 mcg	113 mcg	o,o mcg	0,00 mg	o mg	2,5 mg	147 mg	10,1 mcg	249 mg	25 mg	118 mcg	658 mg
62 mcg	68 mcg	o,o mcg	0,48 mg	o mg	2,7 mg	142 mg	24,6 mcg	66 mg	37 mg	940 mcg	599 mg
64 mcg	352 mcg	o,o mcg	0,98 mg	o mg	3,4 mg	418 mg	0,2 mcg	29 mg	119 mg	3 mcg	579 mg
16 mcg	75 mcg	0,0 mcg	0,70 mg	o mg	2,3 mg	244 mg	3,0 mcg	29 mg	35 mg	920 mcg	511 mg
7 mcg	49 mcg	o,o mcg	0,06 mg	o mg	0,5 mg	44 mg	26,4 mcg	7 mg	18 mg	322 mcg	1 mg
5 mcg	79 mcg	o,o mcg	0,30 mg	o mg	1,1 mg	44 mg	25,9 mcg	15 mg	30 mg	1380 mcg	3 mg
o mcg	o mcg	o,o mcg	0,00 mg	o mg	4,2 mg	447 mg	0,0 mcg	22 mg	130 mg	o mcg	3 mg
87 mcg	269 mcg	o,o mcg	1,00 mg	3 mg	2,4 mg	380 mg	2,1 mcg	33 mg	97 mg	3100 mcg	8 mg
520 mcg	492 mcg	0,0 mcg	22,00 mg	o mg	8,6 mg	1060 mg	3,0 mcg	49 mg	290 mg	16000	5 mg
9 mcg	145 mcg	0,0 mcg	0,00 mg	o mg	0,8 mg	86 mg	0,0 mcg	9 mg	35 mg	1100 mcg	1 mg
20 mcg	509 mcg	o,o mcg	0,00 mg	o mg	1,8 mg	268 mg	0,0 mcg	33 mg	143 mg	3740 mcg	4 mg
63 mcg	4070 mcg	0,0 mcg	4,92 mg	o mg	18,5 mg	1490 mg	15,6 mcg	57 mg	781 mg	14210	5 mg
7 mcg	49 mcg	o,o mcg	0,06 mg	o mg	1,3 mg	44 mg	26,4 mcg	7 mg	18 mg	322 mcg	1 mg
5 mcg	79 mcg	o,o mcg	0,30 mg	o mg	1,1 mg	44 mg	25,9 mcg	15 mg	30 mg	1380 mcg	3 mg
27 mcg	99 mcg	o,o mcg	0,04 mg	o mg	4,9 mg	146 mg	28,5 mcg	372 mg	60 mg	1500 mcg	16 mg

Food (100 g)	Food (general portion)	Calories	Proteins	Saturated fat	Monoun- saturated fats	Polyun- saturated fats	Carbohy- drates	Choles- terol	B12
FRUITS									
Pineapple	2 thin slices	54	0,5 g	0,02 g	0,03 g	0,08 g	12,4 g	o mg	o,o mcg
Avocado	half of the fruit	217	1,9 g	1,90 g	15,46 g	1,81 g	0,4 g	o mg	o,o mcg
Banana	1 fruit	88	1,2 g	0,06 g	0,02 g	0,06 g	20,0 g	o mg	o,o mcg
Blueberries	1 cup	219	5,0 g	0,04 g	0,27 g	0,12 g	47,9 g	o mg	o,o mcg
Peaches	1 small fruit	46	0,8 g	0,01 g	0,03 g	0,04 g	10,3 g	o mg	o,o mcg
Cranberries, dried	2,5 cup	308	0,1 g	0,10 g	0,20 g	0,66 g	82,4 g	o mg	o,o mcg
Cherry, red	2/3 cup, pitted	81	1,1 g	0,07 g	0,08 g	0,09 g	18,7 g	o mg	o,o mcg
Blackcurrants	1 cup	32	1,3 g	0,03 g	0,02 g	0,11 g	6,1 g	o mg	o,o mcg
Figs, dried	5 figs	250	3,5 g	0,14 g	0,16 g	0,35 g	55,1 g	o mg	o,o mcg
Grapefruit	1 small fruit	34	0,6 g	0,03 g	0,03 g	0,06 g	7,4 g	o mg	o,o mcg
Pear	half of the fruit	62	0,2 g	0,04 g	0,07 g	0,13 g	15,0 g	o mg	o,o mcg
Apple	1 small fruit	53	0,3 g	0,21 g	0,02 g	0,25 g	11,4 g	o mg	o,o mcg
Strawberries	half a cup	31	0,6 g	0,32 g	0,06 g	0,24 g	6,9 g	o mg	o,o mcg
Japanese Persimmon	1 fruit	70	0,6 g	0,05 g	0,09 g	0,06 g	16,0 g	o mg	o,o mcg
Kiwi	2 fruits	47	1,0 g	0,03 g	0,05 g	0,29 g	9,1 g	o mg	o,o mcg
Lemon	1 fruit	21	0,7 g	0,13 g	0,04 g	0,30 g	3,2 g	o mg	o,o mcg
Watermelon	2/3 cup	38	0,6 g	0,05 g	0,03 g	0,07 g	8,3 g	o mg	o,o mcg
Rasberries	2/3 cup	51	1,4 g	0,01 g	0,03 g	0,20 g	10,2 g	o mg	o,o mcg
Mandarin	1 medium fruit	47	0,7 g	0,04 g	0,06 g	0,07 g	10,1 g	o mg	o,o mcg
Apricots, dried	1 cup	219	5,0 g	0,04 g	0,27 g	0,12 g	47,9 g	o mg	o,o mcg
Cantaloupe melons	2/3 cup	34	0,8 g	0,05 g	0,00 g	0,08 g	8,2 g	o mg	o,o mcg
Nectarine	1 small fruit	44	1,0 g	0,03 g	0,09 g	0,11 g	10,6 g	o mg	o,o mcg
Olives, canned	12 tablespoons	115	0,8 g	1,42 g	7,89 g	0,91 g	6,3 g	o mg	o,o mcg
Orange	1 small fruit	39	1,0 g	0,03 g	0,06 g	0,08 g	8,3 g	o mg	o,o mcg
Redcurrants	1 cup	26	1,1 g	0,04 g	0,03 g	0,07 g	4,8 g	o mg	o,o mcg
Plums	3 fruits	69	0,6 g	0,02 g	0,05 g	0,08 g	15,8 g	o mg	o,o mcg
VEGETABLES AND LE	EGUMES								
Artichoke	1 medium fruit	21	2,4 g	0,04 g	0,00 g	0,06 g	2,6 g	o mg	o,o mcg
Asparagus	5 big asparagus	18	2,0 g	0,03 g	0,01 g	0,08 g	2,0 g	o mg	o,o mcg
Chard	1 leaf	14	2,1 g	0,03 g	0,04 g	0,07 g	0,7 g	o mg	o,o mcg
Field beans, cooked	2/3 cup	110	7,6 g	0,07 g	0,08 g	0,16 g	19,7 g	o mg	o,o mcg

В9	B6	D	E	C	Iron	Potassium	Selenium	Calcium	Magne- sium	Mangan	Sodium
FRUITS											
4 mcg	75 mcg	o,o mcg	0,10 mg	19 mg	0,4 mg	180 mg	o,6 mcg	16 mg	17 mg	320 mcg	2 mg
30 mcg	530 mcg	o,o mcg	1,30 mg	13 mg	0,5 mg	487 mg	0,4 mcg	12 mg	30 mg	162 mcg	5 mg
14 mcg	363 mcg	0,0 mcg	0,27 mg	11 mg	0,4 mg	367 mg	1,4 mcg	6,5 mg	30 mg	258 mcg	1 mg
5 mcg	170 mcg	0,0 mcg	0,00 mg	11 mg	4,4 mg	1370 mg	0,0 mcg	82 mg	50 mg	1500 mcg	11 mg
3 mcg	26 mcg	o,o mcg	0,96 mg	10 mg	0,3 mg	192 mg	1,3 mcg	6 mg	9 mg	63 mcg	1 mg
0 mcg	38 mcg	o,o mcg	1,07 mg	o mg	0,5 mg	40 mg	0,5 mcg	10 mg	5 mg	265 mcg	3 mg
52 mcg	45 mcg	o,o mcg	0,13 mg	4 mg	0,4 mg	235 mg	1,2 mcg	17 mg	13 mg	86 mcg	3 mg
9 mcg	80 mcg	o,o mcg	1,80 mg	177 mg	1,3 mg	290 mg	1,7 mcg	46 mg	17 mg	326 mcg	2 mg
14 mcg	120 mcg	o,o mcg	0,35 mg	3 mg	3,3 mg	850 mg	5,6 mcg	193 mg	70 mg	350 mcg	40 mg
11 mcg	28 mcg	o,o mcg	0,30 mg	41 mg	0,2 mg	141 mg	1,0 mcg	26 mg	10 mg	27 mcg	1 mg
14 mcg	15 mcg	o,o mcg	0,43 mg	5 mg	0,2 mg	114 mg	o,6 mcg	10 mg	7 mg	60 mcg	2 mg
8 mcg	103 mcg	o,o mcg	0,49 mg	12 mg	0,3 mg	119 mg	1,4 mcg	5 mg	5 mg	43 mcg	1 mg
43 mcg	60 mcg	o,o mcg	0,12 mg	57 mg	0,6 mg	164 mg	1,3 mcg	19 mg	13 mg	400 mcg	1 mg
o mcg	o mcg	o,o mcg	0,00 mg	16 mg	0,4 mg	180 mg	o,o mcg	8 mg	8 mg	47 mcg	4 mg
25 mcg	63 mcg	o,o mcg	1,46 mg	44 mg	0,8 mg	320 mg	0,2 mcg	38 mg	24 mg	94 mcg	3 mg
6 mcg	60 mcg	o,o mcg	0,00 mg	51 mg	0,5 mg	170 mg	1,0 mcg	11 mg	28 mg	45 mcg	2 mg
5 mcg	70 mcg	o,o mcg	0,05 mg	6 mg	0,2 mg	109 mg	0,4 mcg	7 mg	9 mg	32 mcg	1 mg
30 mcg	75 mcg	o,o mcg	0,69 mg	25 mg	1,0 mg	200 mg	1,3 mcg	40 mg	30 mg	384 mcg	1 mg
7 mcg	23 mcg	o,o mcg	0,32 mg	30 mg	0,3 mg	150 mg	2,4 mcg	33 mg	11 mg	37 mcg	1 mg
5 mcg	170 mcg	o,o mcg	0,00 mg	11 mg	4,4 mg	1370 mg	o,o mcg	82 mg	50 mg	1500 mcg	11 mg
21 mcg	72 mcg	o,o mcg	0,05 mg	37 mg	0,2 mg	267 mg	0,4 mcg	9 mg	12 mg	41 mcg	16 mg
5 mcg	25 mcg	o,o mcg	0,78 mg	5 mg	0,3 mg	201 mg	o,o mcg	6 mg	9 mg	54 mcg	o mg
o mcg	9 mcg	o,o mcg	1,65 mg	1 mg	3,3 mg	88 mg	0,9 mcg	88 mg	4 mg	20 mcg	872 mg
29 mcg	104 mcg	o,o mcg	0,32 mg	45 mg	0,2 mg	164 mg	1,2 mcg	40 mg	12 mg	35 mcg	1 mg
11 mcg	45 mcg	o,o mcg	0,62 mg	36 mg	0,9 mg	257 mg	1,3 mcg	29 mg	13 mg	240 mcg	2 mg
2 mcg	45 mcg	0,0 mcg	0,85 mg	5 mg	0,4 mg	161 mg	o,6 mcg	8 mg	7 mg	64 mcg	2 mg
VEGETA	BLES AN	D LEGUM	IES								
68 mcg	116 mcg	o,o mcg	0,19 mg	8 mg	1,5 mg	353 mg	0,7 mcg	53 mg	26 mg	380 mcg	47 mg
2 mcg	54 mcg	o,o mcg	2,00 mg	20 mg	0,7 mg	203 mg	1,0 mcg	26 mg	17 mg	101 mcg	4 mg
30 mcg	99 mcg	o,o mcg	1,89 mg	39 mg	2,7 mg	376 mg	o,9 mcg	103 mg	81 mg	366 mcg	90 mg
104 mcg	72 mcg	o,o mcg	20,00 mg	o mg	1,5 mg	268 mg	2,6 mcg	36 mg	43 mg	421 mcg	5 mg

0,8 mg

1,5 mg

0,6 mg 3,4 mg

VEGETABLES AND LEGUMES	VECET			D	D	
	VLULI	VEGE	ABLES A	ND LEGU	LEGUM	JME
roccoli 1 cup, cubes 28 3,8 g 0,04 g 0,01 g 0,04 g 2,7 g 0 mg 0,0 mcg	114 mcg	114 m	g 280 mcg	g 0,0 mcg	0,0 mcg	g
uliflower 1 cup, cubes 19 2,0 g 0,14 g 0,08 g 0,26 g 2,3 g 0 mg 0,0 mcg	88 mcg	88 m	; 200 mcg	g 0,0 mcg	0,0 mcg	g
Spring onion 1 cup, cubes 32 1,8 g 0,03 g 0,03 g 0,07 g 7,3 g 0 mg 0,0 mcg	64 mcg	64 m	g 61 mcg	o,0 mc	o,o mcg	g
Garlic 1 cup 142 6,1 g 0,12 g 0,30 g 0,05 g 28,4 g 0 mg 0,0 mcg	3 mcg	3 mc	1200 mc	.g 0,0 mcg	0,0 mcg	g
Chick peas, cooked half a cup 164 8,9 g 0,27 g 0,58 g 1,16 g 27,4 g 0 mg 0,0 mcg	172 mcg	172 m	g 139 mcg	g 0,0 mcg	o,o mcg	g
Kidney beans, cooked half a cup 88 6,5 g 0,23 g 0,04 g 0,09 g 13,9 g 0 mg 0,0 mcg	82 mcg	82 ma	; 174 mcg	g 0,0 mcg	o,o mcg	g
Peas, cooked half a cup 84 5,4 g 0,04 g 0,02 g 0,10 g 15,6 g 0 mg 0,0 mcg	63 mcg	63 m	; 216 mcg	g 0,0 mcg	o,o mcg	g
Kohlrabi half a tuber 29 1,2 g 0,02 g 0,04 g 0,10 g 5,7 g 0 mg 0,0 mcg	42 mcg	42 mo	; 200 mcg	g 0,0 mcg	o,o mcg	g
Carrot 1 small carrot 25 1,0 g 0,04 g 0,00 g 0,12 g 4,8 g 0 mg 0,0 mcg	26 mcg	26 m	270 mcg	g 0,0 mcg	o,o mcg	g
Fennel 1 cup, cubes 20 1,4 g 0,00 g 0,00 g 3,0 g 0 mg 0,0 mcg	37 mcg	37 ma	59 mcg	g 0,0 mcg	o,o mcg	g
Lentils, cooked half a cup 77 7,4 g 0,05 g 0,06 g 0,18 g 10,7 g 0 mg 0,0 mcg	181 mcg	181 m	g 178 mcg	g 0,0 mcg	0,0 mcg	g
amb's lettuce 1 cup 14 1,8 g 0,08 g 0,07 g 0,32 g 0,8 g 0 mg 0,0 mcg	145 mcg	145 m	g 250 mcg	g 0,0 mcg	o,o mcg	g
ale, bud 1 cup 81 4,1 g 1,02 g 0,32 g 0,90 g 9,7 g 0 mg 0,0 mcg	125 mcg	125 m	g 205 mcg	g 0,0 mcg	o,o mcg	g
Kale 1 cup 26 2,8 g 0,09 g 0,05 g 0,34 g 2,9 g 0 mg 0,0 mcg	90 mcg	90 m	; 156 mcg	g 0,0 mcg	0,0 mcg	g
omato half of a large 16 1,0 g 0,04 g 0,02 g 0,10 g 3,0 g 0 mg 0,0 mcg	22 mcg	22 mc	100 mcg	g 0,0 mcg	o,o mcg	g
Parsnips, cooked 1 cup 71 1,3 g 0,05 g 0,11 g 0,05 g 17,0 g 0 mg 0,0 mcg	58 mcg	58 m	g 93 mcg	g 0,0 mcg	0,0 mcg	g
eet, pickled 3/4 cup 42 0,6 g 0,19 g 0,36 g 1,09 g 5,9 g 0 mg 0,0 mcg	24 mcg	24 ma	27 mcg	g 0,0 mcg	0,0 mcg	g
arsley, green 10 shoots 92 14,4 g 0,04 g 0,01 g 0,19 g 7,4 g 0 mg 0,0 mcg	149 mc§	149 m	g 200 mcg	g 0,0 mcg	0,0 mcg	g
eek 1 cup 24 2,1 g 0,10 g 0,02 g 0,37 g 3,3 g 0 mg 0,0 mcg	103 mcg	103 m	g 263 mcg	g 0,0 mcg	0,0 mcg	g
Radish 1 ½ cups, sliced 14 1,1 g 0,03 g 0,02 g 0,05 g 2,1 g 0 mg 0,0 mcg	24 mcg	24 ma	60 mcg	g 0,0 mcg	0,0 mcg	g
Sell pepper, red half of a large 31 1,0 g 0,03 g 0,00 g 0,07 g 6,0 g 0 mg 0,0 mcg	46 mcg	46 m	; 291 mcg	g 0,0 mcg	0,0 mcg	g
Red cabbage 1 ½ cup, grated 22 1,5 g 0,03 g 0,01 g 0,10 g 3,6 g 0 mg 0,0 mcg	36 mcg	36 mo	; 153 mcg	g 0,0 mcg	o,o mcg	g
Dandelion 2 cups 26 3,1 g 0,08 g 0,02 g 0,38 g 2,4 g 0 mg 0,0 mcg	27 mcg	27 ma	251 mcg	g 0,0 mcg	o,o mcg	g
Turnip 2 cups 25 1,0 g 0,01 g 0,01 g 0,05 g 4,7 g 0 mg 0,0 mcg	20 mcg	20 mc	g 80 mcg	g 0,0 mcg	o,o mcg	g
Soy, cooked half a cup 304 26,7 g 1,30 g 2,00 g 5,10 g 17,4 g 0 mg 0,0 mcg	54 mcg	54 mo	234 mcg	g 0,0 mcg	o,o mcg	g
oy yogurt 1 cup 101 4,0 g 0,40 g 0,50 g 1,40 g 16,0 g 0 mg 0,0 mcg	6 mcg	6 mc	20 mcg	g 0,0 mcg	o,o mcg	g
oy milk half a cup 329 35,0 g 2,36 g 3,70 g 10,70 g 6,4 g 0 mg 0,0 mcg	250 mcg	250 m	g 1000 mc	.g 0,0 mcg	o,o mcg	g
Spinach, cooked half a cup 14 2,4 g 0,04 g 0,01 g 0,11 g 0,5 g 0 mg 0,0 mcg	146 mcg	146 m	g 242 mcg	g 0,0 mcg	o,o mcg	g
Green kohlrabi, cooked half a cup, sliced 29 1,8 g 0,01 g 0,01 g 0,05 g 6,7 g 0 mg 0,0 mcg	12 mcg	12 mc	154 mcg	g 0,0 mcg	o,o mcg	g
Sell pepper, green 1 medium size 18 1,1 g 0,05 g 0,01 g 0,13 g 2,9 g 0 mg 0,0 mcg	57 mcg	57 ma	239 mcg	g 0,0 mcg	o,o mcg	g
Cabbage, sour 1 cup 12 1,5 g 0,03 g 0,01 g 0,07 g 0,8 g 0 mg 0,0 mcg	31 mcg	31 mc	210 mcg	g 0,0 mcg	o,o mcg	g

Potassium	ssium Selenium Calciu		Magne- sium	Mangan	Sodium
256 mg	0,7 mcg	58 mg	18 mg	469 mcg	23 mg
282 mg	0,9 mcg	22 mg	15 mg	80 mcg	11 mg
276 mg	0,6 mcg	72 mg	20 mg	160 mcg	16 mg
401 mg	5,7 mcg	38 mg	25 mg	460 mcg	17 mg
291 mg	3,7 mcg	49 mg	48 mg	1030 mcg	7 mg
535 mg	5,6 mcg	47 mg	72 mg	547 mcg	1 mg
217 mg	1,9 mcg	27 mg	39 mg	525 mcg	3 mg
227 mg	0,0 mcg	48 mg	11 mg	68 mcg	10 mg
328 mg	0,4 mcg	35 mg	13 mg	170 mcg	62 mg
395 mg	0,7 mcg	38 mg	12 mg	191 mcg	27 mg
255 mg	2,8 mcg	23 mg	36 mg	494 mcg	1 mg
421 mg	0,0 mcg	35 mg	13 mg	o mcg	4 mg
376 mg	2,2 mcg	33 mg	22 mg	335 mcg	321 mg
236 mg	1,2 mcg	64 mg	12 mg	160 mcg	9 mg
234 mg	1,6 mcg	9 mg	11 mg	108 mcg	3 mg
367 mg	1,7 mcg	37 mg	29 mg	294 mcg	10 mg
132 mg	84,4 mcg	15 mg	15 mg	342 mcg	119 mg
1320 mg	0,7 mcg	179 mg	44 mg	756 mcg	171 mg
279 mg	o,8 mcg	63 mg	15 mg	190 mcg	4 mg
239 mg	2,0 mcg	25 mg	9 mg	46 mcg	22 mg
211 mg	0,1 mcg	7 mg	12 mg	112 mcg	4 mg
246 mg	0,9 mcg	38 mg	16 mg	163 mcg	11 mg
501 mg	o,8 mcg	168 mg	37 mg	920 mcg	76 mg
269 mg	3,1 mcg	45 mg	14 mg	68 mcg	58 mg
515 mg	7,3 mcg	102 mg	86 mg	824 mcg	1 mg
47 mg	13,0 mcg	118 mg	40 mg	o mcg	40 mg
1800 mg	19,0 mcg	200 mg	220 mg	2700 mcg	5 mg
466 mg	1,5 mcg	126 mg	87 mg	935 mcg	46 mg
340 mg	o,8 mcg	25 mg	19 mg	142 mcg	21 mg
174 mg	4,3 mcg	10 mg	11 mg	126 mcg	2 mg
288 mg	o,6 mcg	48 mg	14 mg	140 mcg	355 mg

Food (100 g)	Food (general portion)	Calories	Proteins	Saturated fat	Monoun- saturated fats	Polyun- saturated fats	Carbohy- drates	Choles- terol	B12
NUTS AND SEEDS									
Peanuts	7 tablespoons	559	25,3 g	6,96 g	22,10 g	14,40 g	7,5 g	o mg	0,0 mcg
Brazil nuts	7 tablespoons	661	13,6 g	14,64 g	18,73 g	29,80 g	3,6 g	o mg	0,0 mcg
Pumpkin seeds, dried	10 teaspoons	574	29,8 g	8,54 g	15,73 g	19,86 g	14,7 g	o mg	0,0 mcg
Cashews	7 tablespoons	584	18,2 g	7,78 g	23,80 g	7 , 84 g	30,2 g	o mg	0,0 mcg
Chestnuts, cooked	1 cup	131	2,0 g	0,26 g	0,48 g	0,55 g	27,8 g	o mg	0,0 mcg
Hazelnuts	10 tablespoons	636	12,0 g	3,94 g	45,22 g	8,61 g	10,5 g	o mg	0,0 mcg
Macadamia	3/4 cup	692	7,5 g	10,32 g	57,10 g	1,74 g	4,0 g	o mg	0,0 mcg
Poppy seeds	11 teaspoons	472	20,2 g	4,85 g	4,47 g	3,11 g	4,2 g	o mg	0,0 mcg
Almonds	1 cup	576	18,7 g	4,13 g	32,80 g	13,06 g	5,4 g	o mg	o,o mcg
Walnuts	1 cup	654	14,4 g	6,84 g	11,54 g	42,13 g	10,6 g	o mg	0,0 mcg
Pine nuts	3/4 cup	673	13,7 g	4,90 g	18,76 g	34,07 g	13,1 g	o mg	0,0 mcg
Pistachios	3/4 cup	575	17,6 g	6,14 g	34,53 g	7,61 g	11,6 g	o mg	0,0 mcg
Sesame seeds	11 teapoons	559	17,7 g	7,55 g	19,90 g	19,37 g	10,2 g	o mg	0,0 mcg
FISH AND SEAFOOD									
Seabass	1 fillet	97	18,4 g	0,51 g	0,42 g	0,74 g	0,0 g	41 mg	0,3 mcg
Gray mullet	1 fillet	121	20,4 g	1,49 g	1,45 g	0,85 g	0,0 g	81 mg	0,2 mcg
Octopus	100 g	82	14,9 g	0,23 g	0,16 g	0,24 g	2,2 g	48 mg	20,0 mcg
Anchovies	1 fillet	101	19,1 g	1,30 g	1,18 g	1,64 g	0,0 g	60 mg	o,6 mcg
Lobster	half a lobster	112	20,6 g	0,24 g	0,28 g	0,59 g	2,4 g	70 mg	3,5 mcg
Mussels, cooked	2 cup	172	23,8 g	0,85 g	1,01 g	1,21 g	7,4 g	56 mg	24,0 mcg
Eel, cooked	1 small fillet	236	23,7 g	3,00 g	9,22 g	1,21 g	0,0 g	161 mg	2,9 mcg
Squid, fried	1 cup	175	18,0 g	1,88 g	2,75 g	2,14 g	7,8 g	260 mg	1,2 mcg
Salmon	1 small fillet	201	19,9 g	2,90 g	6,10 g	4,19 g	0,0 g	44 mg	2,9 mcg
Hake	1 fillet	94	17,2 g	0,59 g	0,64 g	0,91 g	0,0 g	o mg	0,0 mcg
Cod	1 fillet	78	17,7 g	0,13 g	0,10 g	0,31 g	0,0 g	34 mg	1,2 mcg
Brown trout, farmed	1 fillet	121	19,0 g	0,68 g	0,90 g	1,24 g	0,0 g	57 mg	7,8 mcg
Sardines	2 Fish	117	19,7 g	0,82 g	0,44 g	1,15 g	0,0 g	81 mg	o,o mcg
Sardines, canned	2 Fish	118	19,4 g	1,20 g	1,10 g	1,62 g	0,0 g	o mg	0,1 mcg
Mackerel	1 small fillet	181	18,7 g	3,30 g	4,70 g	2,65 g	0,0 g	82 mg	9,0 mcg
Herring	100 g	218	19,8 g	2,80 g	7,65 g	3,65 g	0,0 g	o mg	13,0 mcg
Tuna in its own juice	2/3 can	116	25,5 g	0,23 g	0,16 g	0,34 g	0,0 g	30 mg	3,0 mcg

В9	B6	D	E	С	Iron	Potassium	Selenium	Calcium	Magne- sium	Mangan	Sodium			
NUTS AND SEEDS														
169 mcg	440 mcg	o,o mcg	10,00 mg	o mg	1,8 mg	660 mg	5,7 mcg	41 mg	160 mg	1600 mcg	11 mg			
39 mcg	110 mcg	o,o mcg	6,50 mg	1 mg	3,4 mg	644 mg	103 mcg	132 mg	160 mg	600 mcg	2 mg			
57 mcg	100 mcg	o,o mcg	0,56 mg	2 mg	8,1 mg	788 mg	9,4 mcg	52 mg	550 mg	4490	18 mg			
25 mcg	417 mcg	o,o mcg	0,90 mg	1 mg	6,7 mg	660 mg	10,0 mcg	37 mg	292 mg	1660 mcg	12 mg			
38 mcg	233 mcg	o,o mcg	0,00 mg	27 mg	1,7 mg	715 mg	o,o mcg	46 mg	54 mg	854 mcg	27 mg			
71 mcg	313 mcg	o,o mcg	26,00 mg	3 mg	3,8 mg	636 mg	4,5 mcg	226 mg	156 mg	5700 mcg	2 mg			
11 mcg	275 mcg	o,o mcg	0,54 mg	1 mg	0,2 mg	265 mg	3,6 mcg	51 mg	130 mg	4130 mcg	5 mg			
82 mcg	440 mcg	o,o mcg	1,78 mg	1 mg	9,5 mg	705 mg	13,5 mcg	1460 mg	333 mg	12000	21 mg			
45 mcg	155 mcg	0,0 mcg	26,00 mg	o mg	4,1 mg	835 mg	3,5 mcg	252 mg	170 mg	1900 mcg	2 mg			
77 mcg	870 mcg	o,o mcg	1,90 mg	3 mg	2,5 mg	544 mg	5,5 mcg	87 mg	129 mg	2000 mcg	2 mg			
34 mcg	94 mcg	0,0 mcg	9,30 mg	1 mg	5,5 mg	597 mg	0,7 mcg	16 mg	251 mg	8800	2 mg			
58 mcg	1700 mcg	o,o mcg	5,20 mg	7 mg	7,3 mg	1020 mg	6,4 mcg	136 mg	158 mg	1200 mcg	1 mg			
97 mcg	790 mcg	o,o mcg	0,25 mg	o mg	10,0 mg	458 mg	34 , 0 mcg	783 mg	347 mg	2460 mcg	45 mg			
FISH AN	ID SEAFO	OD												
5 mcg	400 mcg	67,8 mcg	0,84 mg	o mg	0,3 mg	256 mg	36,5 mcg	10 mg	41 mg	15 mcg	68 mg			
9 mcg	425 mcg	18,3 mcg	1,00 mg	1 mg	1,5 mg	404 mg	149 mcg	53 mg	29 mg	50 mcg	69 mg			
16 mcg	360 mcg	o,o mcg	1,20 mg	5 mg	5,3 mg	350 mg	44, 8 mcg	53 mg	30 mg	25 mcg	230 mg			
9 mcg	143 mcg	o,o mcg	0,57 mg	o mg	3,3 mg	383 mg	36,5 mcg	147 mg	41 mg	70 mcg	104 mg			
1 mcg	150 mcg	0,0 mcg	0,00 mg	2 mg	1,2 mg	180 mg	46,2 mcg	49 mg	40 mg	15 mcg	177 mg			
76 mcg	100 mcg	0,0 mcg	0,75 mg	14 mg	6,7 mg	286 mg	56,0 mcg	24 mg	30 mg	2300 mcg	296 mg			
17 mcg	77 mcg	0,0 mcg	0,00 mg	2 mg	0,6 mg	268 mg	90,0 mcg	33 mg	37 mg	6800	369 mg			
14 mcg	58 mcg	o,o mcg	0,00 mg	4 mg	1,0 mg	279 mg	51,8 mcg	39 mg	38 mg	70 mcg	306 mg			
3 mcg	980 mcg	16,0 mcg	2,20 mg	1 mg	0,6 mg	331 mg	180 mcg	16 mg	25 mg	14 mcg	60 mg			
o mcg	0 mcg	0,0 mcg	0,00 mg	o mg	0,0 mg	294 mg	259 mcg	41 mg	o mg	o mcg	101 mg			
8 mcg	200 mcg	1,3 mcg	1,00 mg	2 mg	0,3 mg	340 mg	28,0 mcg	28 mg	24 mg	18 mcg	72 mg			
9 mcg	200 mcg	46,5 mcg	1,70 mg	1 mg	0,6 mg	452 mg	152,0 mcg	69 mg	28 mg	43 mcg	28 mg			
o mcg	o mcg	o,o mcg	0,00 mg	o mg	2,7 mg	474 mg	640 mcg	379 mg	40 mg	183 mcg	59 mg			
o mcg	960 mcg	11,0 mcg	0,00 mg	o mg	2,4 mg	o mg	58,0 mcg	85 mg	24 mg	o mcg	100 mg			
1 mcg	630 mcg	4,0 mcg	1,30 mg	o mg	1,2 mg	380 mg	338 mcg	12 mg	30 mg	31 mcg	80 mg			
o mcg	220 mcg	0,0 mcg	0,00 mg	o mg	20,0 mg	240 mg	0,0 mcg	112 mg	39 mg	o mcg	5930 mg			
4 mcg	350 mcg	54,3 mcg	0,33 mg	o mg	1,5 mg	237 mg	80,4 mcg	11 mg	27 mg	11 mcg	338 mg			

Food (100 g) Food (general portion)		Calories	Proteins	Saturated fat	Monoun- saturated fats	Polyun- saturated fats	Carbohy- drates	Choles- terol	B12
MILK AND DAIRY PRO	DUCTS								
Kefir 1,1%	half a cup	41	3,1 g	0,57 g	0,00 g	0,00 g	4,6 g	o mg	0,5 mcg
Sour cream	8 tablespoons	185	2,8 g	10,34 g	0,61 g	0,19 g	3,5 g	o mg	0,3 mcg
Butter, cashew nuts	6 tablespoons	587	17,6 g	9,76 g	29,12 g	8,35 g	27,6 g	o mg	0,0 mcg
Margarine, regular	1 tablespoon	722	0,2 g	23,76 g	32,50 g	19,50 g	0,4 g	115 mg	0,0 mcg
Margarine, vegetable	1 tablespoon	722	0,2 g	30,58 g	4,40 g	2,60 g	0,4 g	7 mg	o,o mcg
Butter, peanut	4 tablespoons	614	26,1 g	9,48 g	26,37 g	10,30 g	21,0 g	o mg	0,0 mcg
Butter, raw	1 tablespoon	737	0,7 g	53,3 g	4,29 g	0,57 g	0,1 g	238 mg	0,2 mcg
Pasteurized whole milk	half a cup	64	3,3 g	1,99 g	0,14 g	0,03 g	4,7 g	12 mg	0,4 mcg
Pasteurized milk 1,6%	half a cup	46	3,0 g	0,91 g	0,41 g	0,04 g	4,8 g	5 mg	0,4 mcg
Buttermilk	half a cup	30	2,3 g	0,55 g	0,25 g	0,03 g	4,0 g	o mg	0,2 mcg
Edamer cheese	100 g	319	26,7 g	17,38 g	0,42 g	0,20 g	1,4 g	89 mg	2,1 mcg
Gauda cheese	100 g	365	26,3 g	19,37 g	0,29 g	0,27 g	2,2 g	114 mg	1,5 mcg
Mozarella	100 g	232	19,9 g	9,97 g	4,51 g	0,49 g	2,2 g	79 mg	2,3 mcg
Ricotta cheese	100 g	173	9,5 g	9,07 g	3,93 g	0,45 g	0,3 g	51 mg	0,3 mcg
Trappist cheese	100 g	358	26,6 g	17,38 g	0,42 g	0,20 g	0,0 g	o mg	2,1 mcg
Curd, 20% m.m.	8 tablespoons	109	12,5 g	2,76 g	0,15 g	0,03 g	2,7 g	17 mg	o,8 mcg
Curd, 40% m.m.	8 tablespoons	160	11,1 g	6,17 g	0,34 g	0,07 g	2,6 g	37 mg	0,7 mcg
Curd, skimmed	8 tablespoons	70	13,5 g	0,17 g	0,08 g	0,00 g	3,2 g	1 mg	0,9 mcg
OILS									
Pumpkin seed oil	7 tablespoons	884	0,0 g	16,63 g	13,32 g	9,01 g	0,0 g	3 mg	0,0 mcg
Mustard oil	7 tablespoons	884	0,0 g	11,60 g	59,20 g	21,20 g	0,0 g	o mg	o,o mcg
Coconut butter	7 tablespoons	884	0,0 g	59,70 g	32,90 g	3,00 g	0,0 g	o mg	o,o mcg
Linseed oil	7 tablespoons	884	0,0 g	9,50 g	19,10 g	67,10 g	0,0 g	4 mg	o,o mcg
Avocado oil	7 tablespoons	884	0,0 g	11,55 g	70,55 g	13,49 g	0,0 g	o mg	o,o mcg
Wheat germ oil	7 tablespoons	884	0,0 g	17,40 g	14,88 g	63,50 g	0,0 g	3 mg	o,o mcg
Olive oil	7 tablespoons	884	0,0 g	13,97 g	70,60 g	9,14 g	0,0 g	1 mg	o,o mcg
Walnut oil	7 tablespoons	884	0,0 g	9,80 g	0,29 g	64,60 g	0,0 g	1 mg	0,0 mcg
Palm oil	7 tablespoons	900	0,0 g	78,85 g	14,10 g	2,40 g	0,0 g	1 mg	0,0 mcg
Rapeseed oil	7 tablespoons	884	0,0 g	7,25 g	57,82 g	32,00 g	0,0 g	2 mg	0,0 mcg
Fish oil, sardine	7 tablespoons	902	0,0 g	29,90 g	33,80 g	31,90 g	0,0 g	710 mg	0,0 mcg
Sunflower oil, refined	7 tablespoons	884	0,0 g	10,94 g	20,40 g	63,60 g	0,0 g	1 mg	0,0 mcg

В9	B6	D	E	С	Iron	Potassium	Selenium	Calcium	Magne- sium	Mangan	Sodium				
MILK AN	MILK AND DAIRY PRODUCTS														
5 mcg	50 mcg	0,1 mcg	0,11 mg	1 mg	0,1 mg	160 mg	o,o mcg	120 mg	14 mg	5 mcg	38 mg				
7 mcg	17 mcg	4,2 mcg	0,44 mg	1 mg	0,1 mg	144 mg	2,6 mcg	100 mg	11 mg	11 mcg	53 mg				
68 mcg	252 mcg	o,o mcg	0,00 mg	o mg	5,0 mg	546 mg	11,5 mcg	43 mg	258 mg	815 mcg	15 mg				
o mcg	o mcg	2,5 mcg	0,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	101 mg				
o mcg	o mcg	2,5 mcg	0,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	101 mg				
92 mcg	418 mcg	0,0 mcg	6,30 mg	o mg	1,9 mg	820 mg	8,2 mcg	74 mg	160 mg	1800 mcg	120 mg				
3 mcg	5 mcg	1,2 mcg	2,00 mg	o mg	o,o mg	16 mg	1,4 mcg	13 mg	3 mg	4 mcg	5 mg				
5 mcg	39 mcg	0,1 mcg	0,07 mg	2 mg	0,1 mg	140 mg	3,7 mcg	120 mg	12 mg	3 mcg	45 mg				
4 mcg	46 mcg	0,0 mcg	0,04 mg	2 mg	o,o mg	155 mg	2,5 mcg	118 mg	12 mg	3 mcg	47 mg				
5 mcg	40 mcg	0,3 mcg	0,02 mg	1 mg	0,1 mg	147 mg	1,2 mcg	109 mg	16 mg	2 mcg	57 mg				
3 mcg	76 mcg	6,0 mcg	0,42 mg	o mg	0,3 mg	67 mg	14,5 mcg	896 mg	29 mg	34 mcg	512 mg				
21 mcg	80 mcg	1,3 mcg	0,24 mg	1 mg	0,5 mg	76 mg	14,5 mcg	809 mg	28 mg	11 mcg	512 mg				
10 mcg	60 mcg	4,8 mcg	0,19 mg	o mg	0,2 mg	76 mg	17,0 mcg	651 mg	24 mg	30 mcg	627 mg				
12 mcg	43 mcg	3,0 mcg	0,11 mg	o mg	0,4 mg	105 mg	14,5 mcg	274 mg	11 mg	6 mcg	84 mg				
3 mcg	o mcg	0,0 mcg	0,42 mg	o mg	0,3 mg	67 mg	o,o mcg	920 mg	29 mg	34 mcg	1 mg				
16 mcg	90 mcg	0,1 mcg	0,12 mg	1 mg	0,4 mg	87 mg	5,0 mcg	85 mg	11 mg	60 mcg	35 mg				
28 mcg	80 mcg	0,2 mcg	0,27 mg	1 mg	0,3 mg	82 mg	o,o mcg	95 mg	10 mg	60 mcg	34 mg				
16 mcg	100 mcg	0,0 mcg	0,01 mg	1 mg	0,4 mg	95 mg	9,4 mcg	92 mg	12 mg	70 mcg	40 mg				
OILS															
o mcg	o mcg	0,0 mcg	0,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	o,o mcg	0,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	o,o mcg	1,80 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	0,0 mcg	0,54 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	0,0 mcg	0,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	0,0 mcg	151,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	0,0 mcg	12,00 mg	o mg	0,6 mg	1 mg	o,o mcg	1 mg	o mg	o mcg	2 mg				
o mcg	o mcg	0,0 mcg	0,44 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	0,0 mcg	0,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	o,o mcg	19,00 mg	o mg	o,o mg	o mg	3,5 mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	99,6 mcg	0,00 mg	o mg	o,o mg	o mg	o,o mcg	o mg	o mg	o mcg	o mg				
o mcg	o mcg	o,o mcg	62,00 mg	o mg	o,o mg	o mg	0,0 mcg	o mg	o mg	o mcg	o mg				

Food (100 g) Food (general portion)		Calories	Proteins	Saturated fat	Monoun- saturated fats	Polyun- saturated fats	Carbohy- drates	Choles- terol	B12
MEAT AND REPLACEN	1ENTS								
Beef, upper thigh	1 steak	123	20,9 g	2,10 g	2,13 g	0,10 g	0,0 g	50 mg	2,0 mcg
Beef, outer thigh	1 steak	118	22,0 g	0,64 g	0,67 g	0,19 g	0,0 g	74 mg	o,o mcg
Domestic goose, no skin	half a portion	161	22,8 g	2,79 g	1,85 g	0,90 g	0,0 g	84 mg	0,5 mcg
Lamb thigh	1 steak	107	20,8 g	0,61 g	0,65 g	0,20 g	0,0 g	77 mg	2,5 mcg
Fried egg	1,5 eggs	222	13,3 g	4,20 g	5,34 g	3,12 g	0,7 g	419 mg	2,0 mcg
Egg, hard boiled	1 egg	134	13,0 g	3,34 g	0,02 g	0,17 g	0,7 g	396 mg	1,9 mcg
Scrambled eggs	1 egg	167	11,1 g	3,68 g	4,77 g	2,15 g	2,2 g	352 mg	o,8 mcg
Deer meat	100 g	120	23,0 g	1,00 g	0,67 g	0,47 g	0,0 g	85 mg	6,3 mcg
Karst prosciutto	100 g	196	32,1 g	2,80 g	3,00 g	1,20 g	0,0 g	91 mg	o,o mcg
Cooked ham	100 g	125	20,4 g	1,70 g	0,00 g	0,00 g	0,9 g	o mg	o,o mcg
Rabbit meat	100 g	136	20,1 g	1,70 g	1,50 g	1,08 g	0,0 g	57 mg	7,2 mcg
Mortadella	100 g	394	16,8 g	11,30 g	0,09 g	0,63 g	3,1 g	56 mg	1,5 mcg
Roast horse meat	100 g	175	28,1 g	1,90 g	2,12 g	0,85 g	0,0 g	68 mg	3,2 mcg
Chicken liver	100 g	136	22,1 g	1,60 g	1,16 g	0,75 g	1,2 g	492 mg	26,0 mcg
Chicken without skin	2 thighs	111	20,3 g	0,67 g	0,83 g	0,67 g	0,0 g	65 mg	0,4 mcg
Pig liver	100 g	101	16,5 g	1,70 g	0,59 g	1,40 g	0,9 g	368 mg	39,0 mcg
Turkey	1 steak	115	23,6 g	0,50 g	0,27 g	0,42 g	0,0 g	60 mg	0,5 mcg
Turkey hot dog	1 pair	223	12,2 g	4,00 g	5,74 g	3,95 g	3,8 g	77 mg	o,8 mcg
Turkey liver	100 g	228	17,8 g	5,50 g	7,40 g	1,65 g	2,3 g	331 mg	49,4 mcg
Pork, shoulder	100 g	118	21,3 g	1,40 g	1,49 g	0,42 g	0,0 g	86 mg	o,6 mcg
Pork hot dog	1 pair	263	12,8 g	8,70 g	10,89 g	2,23 g	0,3 g	66 mg	0,5 mcg
Rabbit, wild	100 g	114	21,8 g	0,70 g	0,63 g	0,45 g	0,0 g	81 mg	0,0 mcg

	B9	B6	D	E	С	Iron	Potassium	Selenium	Calcium	Magne- sium	Mangan	Sodium	
MEAT AND REPLACEMENTS													
	9 mcg	333 mcg	o,o mcg	0,00 mg	o mg	2,4 mg	364 mg	o,o mcg	6 mg	25 mg	11 mcg	47 mg	
	o mcg	o mcg	o,o mcg	0,00 mg	o mg	1,9 mg	344 mg	10,4 mcg	11 mg	21 mg	o mcg	66 mg	
3	31 mcg	640 mcg	o,o mcg	0,00 mg	7 mg	2,6 mg	420 mg	16,8 mcg	13 mg	24 mg	24 mcg	87 mg	
2	20 mcg	150 mcg	0,0 mcg	0,00 mg	o mg	1,4 mg	345 mg	107 mcg	7 mg	25 mg	21 mcg	69 mg	
7	71 mcg	81 mcg	3,1 mcg	3,86 mg	o mg	5,5 mg	155 mg	10,9 mcg	127 mg	46 mg	83 mcg	152 mg	
6	67 mcg	77 mcg	2,9 mcg	2,00 mg	o mg	1,8 mg	147 mg	10,0 mcg	51 mg	11 mg	71 mcg	144 mg	
З	30 mcg	118 mcg	14,4 mcg	1,09 mg	o mg	1,2 mg	138 mg	22,5 mcg	71 mg	12 mg	22 mcg	280 mg	
	4 mcg	370 mcg	o,o mcg	0,20 mg	o mg	3,4 mg	318 mg	9,7 mcg	5 mg	23 mg	41 mcg	51 mg	
	o mcg	0 mcg	0,0 mcg	0,00 mg	o mg	1,3 mg	549 mg	133,0 mcg	16 mg	38 mg	21 mcg	2460 mg	
	0 mcg	o mcg	o,o mcg	0,00 mg	o mg	0,0 mg	o mg	o,o mcg	o mg	o mg	o mcg	720 mg	
	8 mcg	500 mcg	0,0 mcg	0,00 mg	o mg	1,6 mg	330 mg	23,7 mcg	13 mg	19 mg	26 mcg	41 mg	
	3 mcg	130 mcg	12,3 mcg	0,22 mg	24 mg	1,4 mg	207 mg	6,1 mcg	42 mg	11 mg	30 mcg	668 mg	
	o mcg	330 mcg	o,o mcg	0,00 mg	2 mg	5,0 mg	379 mg	13,5 mcg	8 mg	25 mg	22 mcg	55 mg	
3	80 mcg	800 mcg	1,3 mcg	0,40 mg	28 mg	7,4 mg	218 mg	55,0 mcg	180 mg	13 mg	300 mcg	68 mg	
	7 mcg	420 mcg	o,o mcg	0,22 mg	o mg	1,0 mg	238 mg	16,9 mcg	10 mg	23 mg	18 mcg	75 mg	
2	27 mcg	590 mcg	0,0 mcg	0,60 mg	23 mg	29,0 mg	370 mg	56,0 mcg	12 mg	20 mg	270 mcg	77 mg	
	8 mcg	560 mcg	o,o mcg	0,00 mg	o mg	1,2 mg	305 mg	24,4 mcg	12 mg	27 mg	19 mcg	63 mg	
	9 mcg	143 mcg	6,9 mcg	0,62 mg	o mg	1,5 mg	392 mg	15 , 1 mcg	148 mg	14 mg	33 mcg	1080 mg	
6	77 mcg	1000 mcg	o,o mcg	0,12 mg	25 mg	12,0 mg	255 mg	70,8 mcg	255 mg	15 mg	195 mcg	71 mg	
	o mcg	527 mcg	6,6 mcg	0,18 mg	1 mg	0,5 mg	338 mg	87,4 mcg	7 mg	21 mg	100 mcg	63 mg	
	3 mcg	322 mcg	o,o mcg	0,00 mg	2 mg	3,7 mg	264 mg	27,8 mcg	267 mg	15 mg	16 mcg	816 mg	
	o mcg	0 mcg	o,o mcg	0,00 mg	o mg	3,2 mg	378 mg	9,4 mcg	12 mg	29 mg	0 mcg	50 mg	